Document Identifier: **PMC8015298**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: The study complied with the ethical guidelines of the Declaration of Helsinki in 1964 and passed the review of the Review Committee of the Second Affiliated Hospital of Chongqing Medical University.
IRB: The study complied with the ethical guidelines of the Declaration of Helsinki in 1964 and passed the review of the Review Committee of the Second Affiliated Hospital of Chongqing Medical University.
Inclusion and Exclusion Criteria
The inclusion criteria were as follows: (1) Histopathology confirmed as HCC or clinically diagnosed as HCC; (2) Abdominal color Doppler ultrasound, digital subtraction angiography, contrast-enhanced computerized tomography, or magnetic resonance imaging showed signs of PVTT; (3) No treatment, such as surgery, radiotherapy, chemotherapy, liver transplantation, targeted, or biological therapy, was administered before and after TACE; (4) Age ≥ 18 years; and (5) Complete clinical data were available.
Attrition
During our follow-up, 14 patients received other treatments, such as targeted therapy and High Intensity Focused Ultrasound, and one patient was diagnosed with and treated for a hematologic malignancy.
Sex as a biological variable
not detected.
Subject Demographics
Age: The inclusion criteria were as follows: (1) Histopathology confirmed as HCC or clinically diagnosed as HCC; (2) Abdominal color Doppler ultrasound, digital subtraction angiography, contrast-enhanced computerized tomography, or magnetic resonance imaging showed signs of PVTT; (3) No treatment, such as surgery, radiotherapy, chemotherapy, liver transplantation, targeted, or biological therapy, was administered before and after TACE; (4) Age ≥ 18 years; and (5) Complete clinical data were available.
Randomization
not detected.
Blinding
not detected.

Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
SPSS 25.0 software (Armonk, NY, United States) was used to perform all statistical analyses.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Two groups of data were compared using independent-samples t tests, Mann-Whitney U tests, χ 2 tests or Fisher's exact tests.	t tests
	Mann-Whitney U tests
	χ 2 tests
	Fisher's exact tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq