Document Identifier: **PMC8015837**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the ethics committee of Tongji Hospital of Huazhong University of Science and Technology, and was carried out in accordance with the Declaration of Helsinki.
Consent: Appropriate consent and assent were obtained from all participants.
Field Sample Permit: All blood and urine specimens were tested immediately after collection
Inclusion and Exclusion Criteria
Inclusion criteria for analysis included: (i) diagnosis of type 2 diabetes according to the World Health Organization 24 and Chinese Diabetes Society criteria 25 (ii) age >=18 years (iii) patients diagnosed with diabetes for at least 1 year and (iv) no documented ketosis or ketoacidosis in the 3 months before enrolment.
Attrition
not detected.
Sex as a biological variable
Individuals with any febrile or infectious illness, obstructive uropathy, severe heart failure, stroke, liver disease, cancer, autoimmune disease, changed lifestyle and pharmacological treatment during the past 3 months, and pregnant woman were excluded.
Subject Demographics
Age: Inclusion criteria for analysis included: (i) diagnosis of type 2 diabetes according to the World Health Organization 24 and Chinese Diabetes Society criteria 25 (ii) age >=18 years (iii) patients diagnosed with diabetes for at least 1 year and (iv) no documented ketosis or ketoacidosis in the 3 months before enrolment.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The homoeostasis model assessment 2 estimates of insulin resistance (HOMA2-IR) and b-cell function (HOMA2-B) based on fasting C-peptide concentrations (which performs better than insulin in patients with diabetes) were calculated using the HOMA calculator (University of Oxford , Oxford , UK , available online from http:www.dtu.ox.ac.uk) 27 .	http:www.dtu.ox.ac.uk		
Statistical analysis Data were analyzed using SPSS 20.0 software (SPSS Inc., Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Comparisons between the two groups (DN vs non-DN) were carried out using the Students t-test, Mann-Whitney U-test or kh2-test.	t-test
	Mann-Whitney U-test
Pearsons correlation and partial correlation analyses were carried out for correlation analysis of TyG with other variables.	Pearsons correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq