Document Identifier: **PMC8016515**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
PUAS-Abarc line was crossed to GAL4A307 line to receive male filial generation 1(F1) drosophilas expressing arctic mutant Ab42 in the giant fiber system, GAL4A307UAS-Abarc, which were used for the next series of experiments.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
The above process was repeated three times by 1 min intervals.
Number: The above process was repeated three times by 1 min intervals.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
After incubated in 5 BSA (Solarbio, China) at room temperature for 2 h, the membranes were incubated with primary antibodies against b-actin, LC3(Abcam, England), P62(Abcam, England) and NDUFS3(Abcam, England) overnight at 4 degC.	b-actin, LC3		
	P62		
	NDUFS3		
Experimental Models: Organisms/Strains			
The drosophila strains used in this study included: P UAS-Abarc (line for expressing arctic mutant human Ab42) 12 and wild-type w1118 and GAL4A307(drives expression in the giant fiber system).	P UAS-Abarc		
	w1118		Suggestion: RRID:BDSC_3605(link)
According to different concentrations, the flies were divided into five groups: (1)wild-type A307w1118, no treatment with K2, (2)A307Abarc, no treatment with K2, (3)A307Abarc + 0.1 mM K2, treated with vitamin K2 at 0.1 mM, (4)A307Abarc + 0.5 mM K2, treated with vitamin K2 at 0.5 mM and (5)A307Abarc + 0.8 mM K2, treated with vitamin K2 at 0.8 mM.	A307w1118		
Software and Algorithms			
Relative quantitative analysis of data was conducted with the GraphPad Prism 8 software.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)
Bands were visualized using an electro-chemi-Luminescence chemiluminescence kit (Thermo Fisher Scientific) on BIO-RAD ChemiDocTM XRS + system (USA), and then the grayscale value of bands were scanned with the Image J software.	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)
All statistical analyses were performed using GraphPad Prism 8 software.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way analysis of variance was used for statistical significance and followed by Dunnetts post hoc test for comparison between every two groups.	analysis of variance
	Dunnetts post hoc test
Oligonucleotides	
The sequence of the forward and reverse primers is listed as follows: LC3 Fw primer: 5-AGGATGCCCTCTTCTTCTTTG- 3 , Rev primer: 5-GAAATAGTCCTCCTCGT GATGTT-3	5-GAAATAGTCCTCCTCGT
Beclin1 Fw primer: 5-ACAGGAACGACAATGAGT GAG-3 , Rev primer: 5-TCCGTAGATGGGCAAAGATAAC -3 NADH dehydrogenase (ubiquinone) ferrithionein 3 (NDUFS3) Fw primer: 5-GCTCG CATCTCTCCGATTT-3 , Rev primer: 5-AATAAGCACCTCCAGCTCATC- 3 .	5-ACAGGAACGACAATGAGT GAG-3

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq