Document Identifier: **PMC8021382**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study received Institutional Review Board approval and is registered by St.
Consent: Given the retrospective and anonymized nature of the study, signed informed consent was not required.
Inclusion and Exclusion Criteria
Inclusion criteria for the study were all mechanically ventilated patients above the age of 18 years old and who were mechanically ventilated for at least 3 days.
Attrition
not detected.
Sex as a biological variable
An unpaired t test was used to compare patient ages between the control and intervention groups, and Fisher exact test was used to compare the proportion of males to females in the two groups.
Subject Demographics
Age: Inclusion criteria for the study were all mechanically ventilated patients above the age of 18 years old and who were mechanically ventilated for at least 3 days.
Randomization
not detected.
Blinding
not detected.
Power Analysis
Based on the sample size formula for two independent samples with dichotomous outputs, at least 260 total patients (130 in each group) were necessary to show a significant difference in VAE incidence between the groups with 90 power and 5 significance level.
Replication

not required.	
Protocol Information	
Identifiers: JosephsCandler Health System on ClinicalTrials.gov (NCT03850340).	NCT03850340

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All analyses were performed using MATLAB (MathWorks, Natick, MA).	MATLAB		Suggestion: MATLAB, RRID:SCR_001622(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
An unpaired t test was used to compare patient ages between the control and intervention groups, and Fisher exact test was used to compare the proportion of males to females in the two groups.	t test
	Fisher exact test
Fisher exact tests compared the incidence of VACs, IVACs, and PVAPs between the control and intervention groups.	Fisher exact tests
Wilcoxon rank-sum tests compared the median ventilation duration and hospital length of stay of the patients in the control and intervention groups as well as between patients that did and did not experience a VAE.	Wilcoxon rank-sum tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq