Document Identifier: **PMC8026128**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Quantification was performed across four replicates (for both test and control samples) and five images per sample.
Number: Quantification was performed across four replicates (for both test and control samples) and five images per sample.

Data Information
Availability: After the synthesis , 100-nm SiO_2 film was deposited on the chips using PECVD (Trion Orion) at 375degC , 60 W of power , and 900 mtorr of pressure under 75 sccm of SiH_4 and 70 sccm of N_2O .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Thereafter, blocking was performed using 3 bovine serum albumin for 30 min followed by incubation with primary antibodies, NKX2-5 (rabbit anti-NKX2-5 A25974) and TNNT2 (mouse anti-TNNT2 A25969), diluted 1:1000 in the blocking solution for 3 hours at room temperature.	anti-NKX2-5		
	anti-TNNT2		
After washing three times with wash buffer, the cells were incubated for 1 hour at room temperature with secondary antibodies (Alexa Fluor 488 donkey anti-mouse and Alexa Fluor 555 donkey anti-rabbit) diluted 1:250 in blocking solution.	anti-mouse		
	anti-rabbit		
Software and Algorithms			
A LabVIEW program handled both the acquisition of the electrophysiological signals and the laser stimulation by controlling with a transistor-transistor logic (TTL) signal a mechanical shutter placed on the optical path of the laser .	LabVIEW		Suggestion: LabView (RRID:SCR_014325)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis was performed using Students t test (two-tailed) (35	t test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq