Document Identifier: **PMC8027754**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All patients provided written informed consent.
IRB: The present study was approved by the Ethics Committee of The Second Affiliated Hospital of Soochow University.
Euthanasia Agents: After one week of adaptive feeding , a total of 10 SD rats were used in the present study and were euthanized by intravenous injection of a lethal dose of pentobarbital sodium (100 mgkg) .
IACUC: All animal experiments were conducted according to the National Institutes of Health Guidelines for for Care and Use of Laboratory Animals in Biomedical Research (2010) (26) .
Inclusion and Exclusion Criteria
Patients with thrombotic lesions, complete occlusion and recurrent restenosis were excluded from the present study.
Attrition
not detected.
Sex as a biological variable
Rat aorta smooth muscle cells (RASMCs) isolation and treatment Six-week-old male Sprague Dawley (SD) rats (180-200 g) were obtained from the Shanghai SLAC Laboratory Animal Co . , Ltd. and housed at 25C under a 12-h lightdark cycle in a specific pathogen-free environment , with free access to food and water .
Subject Demographics
Age: Finally, a total of 56 (age, 58-85 years) patients who were admitted to the hospital consecutively and who underwent IVUS were enrolled in the study.
Weight: Rat aorta smooth muscle cells (RASMCs) isolation and treatment Six-week-old male Sprague Dawley (SD) rats (180-200 g) were obtained from the Shanghai SLAC Laboratory Animal Co . , Ltd. and housed at 25C under a 12-h lightdark cycle in a specific pathogen-free environment , with free access to food and water .
Randomization
not detected.

Blinding
not detected.
Power Analysis
Statistical power calculated using PASS software (Version 11.0.7 NCSS LLC).
Replication
not required.
Cell Line Authentication
Contamination: Additionally , mycoplasma infection was ruled out by inspecting phase contrast microscopy images .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
RASMCs were identified via immunocytochemistry (performed as described below in the immunofluorescence assay section) using a monoclonal antibody against a-smooth muscle actin (a-SMA 1:500 cat. no. ab7817 Abcam) to further confirm the purity of the primary cell culture (Fig . S1) .	antibody against a-smooth muscle actin		
	S1		
Subsequently , the membranes were blocked using 5 skimmed milk at room temperature for 1 h , followed by incubation with the following primary antibodies at 4C overnight: Anti-phosphorylated (p)-ACC (1:2,000 cat. no. ab68191) , anti-ACC (1:2,000 cat. no. ab109368) , anti-p-AMPK (1:1,500 cat. no. ab133448) , anti-AMPK (1:2,000 cat. no. ab207442) , anti-a-SMA (1:1,000 cat. no. ab7817) , anti-GAPDH (1:5,000 cat. no. ab8245) and anti-OPN (1:1,000 cat. no. ab8448) .	anti-ACC		
	anti-p-AMPK		
	anti-AMPK		
	anti-a-SMA		
	anti-GAPDH		
After blocking with 5 FBS for 30 min at 37C , the cells were incubated overnight with anti-a-SMA (1:500 cat. no. ab7817 Abcam) and anti-OPN (1:500 cat. no. ab8448 Abcam) primary antibodies at 4C .	anti-OPN		
Subsequently , cells were incubated with FITC-labeled goat anti-mouse Antibody (1:200 cat. no. 31635 Thermo Fisher Scientific , Inc .) and Cy3-labeled goat anti-rabbit antibody (1:100 cat. no. BA1032 AMSBIO LLC .) for 45 min at 37C .	anti-mouse		
	anti-rabbit		
Experimental Models: Organisms/Strains			
Rat aorta smooth muscle cells (RASMCs) isolation and treatment Six-week-old male Sprague Dawley (SD) rats (180-200 g) were obtained from the Shanghai SLAC Laboratory Animal Co . , Ltd. and housed at 25C under a 12-h lightdark cycle in a specific pathogen-free environment , with free access to food and water .	Sprague Dawley		Suggestion: RRID:RGD_70508(link)
Software and Algorithms			

The single-cell suspension (200 ul) was analyzed using a FACS Calibur flow cytometer (BD Biosciences) , and the results were analyzed using the FlowJo software (version 10.4 FlowJo LLC)	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Quantity One software (version 4.4.6 Bio-Rad Laboratories , Inc .) was used to analyze the density of each band , which was normalized to the loading control GAPDH .	Quantity One		
Image analysis was performed using ImageJ software (version 1.8.0 National Institutes of Health) .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis Statistical analysis was performed using SPSS (version 22.0 IBM Corp .)	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
Statistical power calculated using PASS software (Version 11.0.7 NCSS LLC).	PASS		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
For the analysis of the cell experiments, one-way ANOVA was used, and differences among individual groups were analyzed using the Bonferroni post-hoc test.	ANOVA
	Bonferroni post-hoc test
For the analysis of the clinical data, the categorical variables between the ISR and non-ISR groups were compared using the kh2 test, and the continuous variables using unpaired Students t-test.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq