Document Identifier: **PMC8040696**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Collection of Cancerous Liver Tissues We collected four pairs of cancerous liver specimens and adjacent normal tissues from the Department of Hepatobiliary Surgery, Renmin Hospital of Wuhan University between January 2021 and February 2021.
IRB: The Institutional Review Board of Renmin Hospital of Wuhan University reviewed and approved our study.
Consent: All patients involved in this study provided the written informed consent.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The membranes were initially blocked with 5 nonfat milk and then incubated with the primary antibodies, including PIGC (novopro, 135229, dilution:1:1000), Cyclin D1 (CST, 55506, dilution:1:1000), CDK2 (CST, 18048, dilution:1:1000), CDK4 (Sanying, Wuhan, 11026-1-AP, dilution:1:1000), and CDK6 (Abcam, ab241554, dilution:1:1000) and finally incubated with specific secondary antibody (HRP-Goat anti Rabbit, ASPEN, AS1107, dilution:1:10000).	Cyclin D1		
	CDK2		
	CDK4		
	CDK6		
	anti Rabbit, ASPEN		
	AS1107		
Experimental Models: Cell Lines			
Cell Culture and Transfection Cancerous human liver cell lines (HepG2, Huh7, Hcclm3, and Hep3B) and a normal hepatocyte cell line (LO2) were obtained from China Center for Type Culture Collection (Wuhan, China).	HepG2		Suggestion: RRID:CVCL_0027(link)
	Huh7		Suggestion: RRID:CVCL_0336(link)
	Hep3B		Suggestion: RRID:CVCL_0326(link)
Software and Algorithms			
Patients and Methods Bioinformatics Analysis Oncomine database14 (https:www.oncomine.org) was mined to determine the expression profiles of PIGC mRNA in human malignant tumors.	https:www.oncomine.org		
Gene Expression Profiling Interactive Analysis15 (GEPIA) webpage (http:gepia.cancer-pku.cn) was browsed to validate the expression profiles of PIGC mRNA based on the TCGA-LIGC dataset.	Gene Expression Profiling Interactive		Suggestion: Gene Expression Profiling Interactive Analysis (RRID:SCR_018294)(link)
The UALCAN website16 (http:ualcan.path.uab.eduindex.html) was searched to investigate the relationship between the PIGC mRNA level and common characteristics in HCC. cBioPortal database was logged in to explore the mutation of PIGC in HCC, and the co-expressed genes with significant correlation was identified.	UALCAN		Suggestion: UALCAN (RRID:SCR_015827)(link)
The ClueGO section in the Cytoscape software19 was used to analyze the	ClueGO		Suggestion: ClueGO (RRID:SCR_005748)(link)

biological pathways of PIGC co-expressed genes in HCC.	Cytoscape		
The above cell lines were cultured in Dulbeccos modified Eagles medium (DMEM, HyClone, Logan, USA) mixed with 10 fetal bovine serum (FBS, Gibco, USA).	Gibco		
Statistical Analysis All statistical analyses were conducted via SPSS23.0 software and GraphPad Prism 7.	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences of categorical parameters were checked with the chi-square or Fishers exact test.	chi-square
	Fishers exact test
Survival analyses were utilized to reveal the prognostic values of PIGC mRNA and methylation in HCC patients, and log rank test was applied to evaluate the survival difference.	log rank test
The correlation between PIGC mRNA expression and DNA methylation was evaluated by the Pearson correlation test.	Pearson correlation test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq