Document Identifier: **PMC8041661**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: All research was approved by the universitys Institutional Review Board (IRB project number 1302366) in accordance with the Declaration of Helsinki, and informed consent was obtained from each participant.
Consent: All research was approved by the universitys Institutional Review Board (IRB project number 1302366) in accordance with the Declaration of Helsinki, and informed consent was obtained from each participant.
Field Sample Permit: 2.3 Sample collection Blood was collected into 3 separate heparinized tubes.
Inclusion and Exclusion Criteria
Inclusion criteria included: non pregnant individuals who were greater than 18 years of age with no history of chronic illness, no acute illness, and no previous blood draw in the last two weeks.
Attrition
not detected.
Sex as a biological variable
Inclusion criteria included: non pregnant individuals who were greater than 18 years of age with no history of chronic illness, no acute illness, and no previous blood draw in the last two weeks.
Subject Demographics
Age: Inclusion criteria included: non pregnant individuals who were greater than 18 years of age with no history of chronic illness, no acute illness, and no previous blood draw in the last two weeks.
Randomization
not detected.
Blinding
Determination of each blood analyte was made blind to the participants QAC concentration.
Power Analysis
2.2 Sample size calculation We hypothesize that there is an association between measured toxicological endpoints and QAC concentration in blood.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
2.9 Statistical analysis Analytes , in context of QAC concentration , were evaluated by means comparison , association (Statistix 10 , Analytical Software , Tallahassee , FL) , and effect size (SAS version 9.4 , SAS Institute Inc .	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Two-group means comparisons (no detectable QAC vs. any QAC) relied on two-sample t-tests or non-parametric Wilcoxon Rank-Sum tests, as appropriate.	t-tests
	Wilcoxon Rank-Sum tests
Relationships between the groups were examined using analysis of variance (ANOVA) or non-parametric Kruskal-Wallis tests, as appropriate, followed by Tukeys HSD.	analysis of variance
	ANOVA
	Kruskal-Wallis tests
	Tukeys HSD
Bivariate associations between QAC concentrations and analyte values were determined by Spearmans rank correlation (rs).	Spearmans rank correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq