Document Identifier: **PMC8045164**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Materials and methods Cell culture and treatment The human ER-positive breast cancer cell line, MCF-7, was purchased from Type Culture Collection of the Chinese Academy of Sciences (Shanghai, China) and stored in liquid nitrogen.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
Stained cells were counted in five randomly selected fields using an inverted light microscope (Olympus Corporation magnification , x100) and the results were analyzed using ImageJ software (version 1.52r National Institutes of Health)
Blinding
not detected.
Power Analysis
not detected.
Replication
All experiments were performed in triplicate.

Number: All experiments were performed in triplicate.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Western blotting Anti-GPER rabbit polyclonal antibody (cat. no. D161727 1:350) , goat anti-rabbit IgG antibody (cat. no. D111018 1:8,000)	Anti-GPER		
	anti-rabbit IgG		
anti-matrix metalloproteinase (MMP)2 (cat. no. D161447 1:500) , anti-MMP9 (cat. no. D162000 1:500) and anti-GAPDH (cat. no. D110016 1:500) antibodies were purchased from Sangon Biotech Co . , Ltd.	anti-matrix metalloproteinase (MMP)2		
	anti-MMP9		
	anti-GAPDH		
Experimental Models: Cell Lines			
Cell transfection MCF-7 cells were incubated for 24 h prior to transfection.	MCF-7		Suggestion: RRID:CVCL_0031(link)
Recombinant DNA			
The CD151 3-untranslated region (UTR) was amplified from human cDNA by Shanghai GenePharma Co., Ltd., cloned into a pGL3 luciferase vector (Promega Corporation).	pGL3		
Software and Algorithms			
Protein bands were visualized using an enhanced chemiluminescence system ChemiDoc MP (Bio-Rad Laboratories , Inc .) and quantified using ImageJ software (version 1.46 National Institutes of Health)	Bio-Rad Laboratories		Suggestion: Bio-Rad Laboratories (RRID:SCR_008426)(link)
	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Dual-luciferase reporter assay The target gene of miR-124 was predicted using the TargetScan database (http:www.targetscan.orgvert_71).	TargetScan		Suggestion: TargetScan (RRID:SCR_010845)(link)
Statistical analysis Statistical analysis was performed using GraphPad Prism 6.0 software.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Unpaired students t-test was used to compare differences between two groups, while one way ANOVA and Tukeys post hoc test were used to compare differences between multiple groups.	t-test
	ANOVA
	Tukeys post hoc test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq