Document Identifier: **PMC8051673**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| IRB: Ethics This study was approved by the Institution Review Board and Institution Ethics Committee of the University vide Project no. IEC - 01, and all participants signed an informed consent agreement. |
| Consent: Ethics This study was approved by the Institution Review Board and Institution Ethics Committee of the University vide Project no. IEC - 01, and all participants signed an informed consent agreement. |
| Inclusion and Exclusion Criteria |
| Patients diagnosed with medically compromised conditions, noncooperative patients, alcoholics, patients on anticoagulants or immunosuppressant drugs, patients with bleeding disorders, and patients with connective tissue disorders were excluded. |
| Attrition |
| not detected. |
| Sex as a biological variable |
| not detected. |
| Subject Demographics |
| Weight: Blood sample was immediately centrifuged at a speed of 3000 rpm (approximately 400 g) for 10 min (Remi Model C-8546). |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| not required. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| Radiological evaluation included alveolar bone height on the distal aspect of the second molar from the cementoenamel junction (CEJ) of the 2nd molar to the alveolar crest using digital radiography machine Orthophos XG5 (Sirona, Germany) with Sidexis Next Gen. 2.4 (Germany) Software and alveolar bone density of regenerate measured using ImageJ Software, NIH, USA, on digital orthopantomogram. | ImageJ | | Suggestion: ImageJ, RRID:SCR_003070( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| The Mann-Whitney test was performed to evaluate the significance of mean values of both the groups, and the Wilcoxon signed-rank test was performed to evaluate the change in pain and PPD with time. | Mann-Whitney test |
| | Wilcoxon signed-rank test |
| Statistical t-test was done to evaluate the significance in the mean values for alveolar bone depth and alveolar bone density of regenerate measured radiographically. | t-test |
| One-way ANOVA test was done between all time intervals between each group, and post hoc Bonferroni test was done for analysis of change in alveolar bone depth and density with time. | ANOVA |
| | Bonferroni test |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq