Document Identifier: **PMC8056808**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: MATERIALS AND METHODS This study was approved by the ethics committee (Faculty of Dentistry, October 6 University, Cairo Egypt) number 4-2020.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
(b) Sample size calculation Using ANOVA test , assuming an effect size F ratio of 0.5 , type I error of 0.05 and power of 0.8 , a total sample size of 30 specimens (10 per group) was required to test the difference between the three groups .
Replication
All readings were taken in triplicate and then optical density of dissolved crystals was measured at 570 nm using Elisa plate reader .

Number: All readings were taken in triplicate and then optical density of dissolved crystals was measured at 570 nm using Elisa plate reader .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The sample size was calculated using G Power software version 3.1.9.2 .	G Power software		Suggestion: G*Power, RRID:SCR_013726(link)
Statistical analysis was performed with IBM® SPSS® (SPSS Inc .	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
(b) Sample size calculation Using ANOVA test , assuming an effect size F ratio of 0.5 , type I error of 0.05 and power of 0.8 , a total sample size of 30 specimens (10 per group) was required to test the difference between the three groups .	ANOVA
Data Explored for Normality using D'Agostino-Pearson test .	D'Agostino-Pearson test
Two-Way ANOVA test was used to compare between tested materials at different concentrations and times .	ANOVA test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq