Document Identifier: **PMC8058773**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Data Information
Availability: As experimentally determined structures can sometimes lack coordinate data for regions that are available in the structure models and vice versa , only residues for which coordinate data existed in both were used in the analyses .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
TM-score (Zhang and Skolnick, 2005), GDT-TS (Zemla et al., 1999), GDT-HA (Read and Chavali, 2007) and GDC (Keedy et al., 2009 Mariani et al., 2013) provided measurements of global model quality.	TM-score		
Software and Algorithms			
In stage B, functional site predictions were made with the SeqFEATURE models using the FEATURE program (Wu et al., 2008).	FEATURE		Suggestion: FEATURE (RRID:SCR_002648)(link)
The NaiveBLAST method selects the first template returned by searching the target protein sequence against the full PDB archive and employs MODELLER (Sali and Blundell , 1993) with default parameters to produce a baseline structure model .	MODELLER		Suggestion: MODELLER (RRID:SCR_008395)(link)
The cumulative probabilities were obtained by converting the Z-scores to cumulative probabilities using the cumulative density function in SciPy 1.1.0 (Jones et al. , 2014) .	SciPy		Suggestion: SciPy (RRID:SCR_008058)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Mann-Whitney U tests were used to estimate the significance level for each pairwise comparison of structure prediction techniques .	Mann-Whitney U tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq