Document Identifier: **PMC8063732**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: 2.2 Study procedure and randomization After providing informed consent, participants were randomly assigned to one of three conditions using a block-wise randomization procedure (block sizes of three or six): CR, SC or WLC (see Fig. 1 for study flow).
IACUC: The research project was approved by the Ethical Review Committee of the local medical association (Landesaerztekammer RLP, No. 2020-14980) and was preregistered at OSF (https:osf.iobf4e6).
Inclusion and Exclusion Criteria
Inclusion criteria were (1) age 18 years or older, (2) taking care of at least one child aged 3 to 18 years who had attended a kindergarten or school prior to the pandemic outbreak, (3) having a device with an internet connection and speakers or headphones, and (4) German-language fluency.
Attrition
For the booster session (second video on day 3), participants in the intervention groups were guided to apply either the CR or the SC strategy to a freely chosen personal situation of mild to moderate stress intensity within their daily family life during the pandemic restrictions.
Sex as a biological variable
not detected.
Subject Demographics
Age: Inclusion criteria were (1) age 18 years or older, (2) taking care of at least one child aged 3 to 18 years who had attended a kindergarten or school prior to the pandemic outbreak, (3) having a device with an internet connection and speakers or headphones, and (4) German-language fluency.
Randomization
2.2 Study procedure and randomization After providing informed consent, participants were randomly assigned to one of three conditions using a block-wise randomization procedure (block sizes of three or six): CR, SC or WLC (see Fig. 1 for study flow).
Blinding
Due to the nature and contents of the intervention, participants were not blinded.
Power Analysis

2.5 Data analysis A conservative sample size calculation with G*Power 3.0 resulted in a total sample size of 93 participants to detect a between-within interaction (time x group) of an effect size of f = 0.15 with a power of 80 and an alpha level of 0.05.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The complete study was conducted within REDCap.	REDCap		Suggestion: REDCap (RRID:SCR_003445)(link)
2.5 Data analysis A conservative sample size calculation with G*Power 3.0 resulted in a total sample size of 93 participants to detect a between-within interaction (time x group) of an effect size of f = 0.15 with a power of 80 and an alpha level of 0.05.	G*Power		Suggestion: G*Power, RRID:SCR_013726(link)
Analyses were conducted and figures were produced using RStudio (RStudio Team, 2020).	RStudio		
As exploratory analyses, cross-sectional mediation analyses were performed for completers with PROCESS for SPSS (Hayes, 2013) in order to analyze whether the relationship between group and parental stress was mediated by individual stress at both time points.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
This can be regarded as a generalization of a repeated measures ANOVA which permits the inclusion of participants with missing values at T1 and T2 without imputations.	ANOVA
Tukeys correction was used for post-hoc tests, and Cohens d was reported in the case of significance.	Tukeys correction

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq