Document Identifier: **PMC8068506**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and Methods VX2 Rabbit Liver Cancer Model for PEPCT This study was approved by our institutional ethics committee (Ethics Committee, Nanchang University, Approved Number: 20-542).
IACUC: All experiments were conducted in conformity with institutional guidelines for the care and use of laboratory animals in Nanchang University, and the National Institutes of Health Guide for Care and Use of Laboratory Animals.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
For each slice we randomly selected three areas and averaged the values as each tumors m-PI value.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
One slice was stained by standard hematoxylin-eosin staining protocol, and the neighbored slice stained by Ki-67 antibodies to assess tumor cell proliferation.	Ki-67		
Software and Algorithms			
After iodine disinfection, 23-gauge Biopsy needles (in-radium 0.2 mm, Mantova, Italy) punctured the VX2 tumor under ultrasound guidance (LOGIQ E9 US scanner GE Healthcare, Pittsburgh, PA) with a 9.0-MHz linear transducer at a low mechanical index (0.10-0.40) Absolute ethanol (Pharmaceutical Secondary Standard, Sigma), or ethanol mixed with a specific dose of PTX (United States Pharmacopeia, Sigma) was slowly injected (0.1 mLS).	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
Statistical analyses were performed using SPSS 22.0 (SPSS Inc., Chicago, IL, USA) and GraphPad Prism 6.01 (GraphPad Software, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
A Welch analysis of variance was performed to compare the differences of HNR among all the groups and Games-Howell test was performed to make pairwise comparisons between independent groups.	Welch analysis of variance
	Games-Howell test
Kruskal-Wallis H-test and Bonferroni correction method were performed to compare the differences of RNR among all the groups and to make pairwise comparisons between independent groups, respectively.	Kruskal-Wallis H-test
	Bonferroni
One-way ANOVA and Tukeys test were performed to compare the differences of m-PI among all the groups and to make pairwise comparisons between independent groups, respectively.	ANOVA
	Tukeys test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq