Document Identifier: **PMC8072100**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the Institutional Review Board of the First Affiliated Hospital of Sun Yat-Sen University on 11 January 2020 (reference number: 2020080).
Consent: The participants were de-identified and the Institutional Review Board therefore waived the need for informed consent.
Inclusion and Exclusion Criteria
The inclusion criteria for the study were: (i) diagnosis of adenomyosis by transvaginal color Doppler ultrasonography or magnetic resonance imaging before FET and (ii) age <=39 years at the time of commencement of IVFICSI.
Attrition
Eighty-four patients who underwent a total of 114 cycles of FET were included in the final analysis.
Sex as a biological variable
Methods Patient population This retrospective study included 509 women with adenomyosis undergoing IVFintracytoplasmic sperm injection (ICSI) at the Institute of Reproductive Medicine, The First Affiliated Hospital of Sun Yat-Sen University (Guangzhou, Guangdong, China), between January 2013 and April 2019.
Subject Demographics
Age: The inclusion criteria for the study were: (i) diagnosis of adenomyosis by transvaginal color Doppler ultrasonography or magnetic resonance imaging before FET and (ii) age <=39 years at the time of commencement of IVFICSI.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis was performed using IBM SPSS Statistics for Windows Version 23.0 (IBM Corporation, Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis The Kolmogorov-Smirnov test was used to determine if the continuous variables were normally distributed.	Kolmogorov-Smirnov test
Normally distributed data were compared using unpaired Students t-tests, and skewed data using the Mann-Whitney U test.	Students t-tests
	Mann-Whitney U test
Categorical variables were analyzed using kh2 or Fishers exact test, where appropriate.	Fishers exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq