Document Identifier: **PMC8077090**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Peripheral venous blood was withdrawn from the patient and both parents after obtaining written consent.
IRB: This study has been approved by the institutional review board of Wuhan Children's Hospital, Tongji Medical College, Huazhong University of Science & Technology (WCH 2019011).
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
After raw data were processed, paired-end alignment to the human reference genome (hg19) and variant detection were conducted using GATK 3.8 (http://www.broadinstitute.org/gatk).	GATK		Suggestion: GATK (RRID:SCR_001876)(link)
Variant annotation was obtained using ANNOVAR (version 2017-07-16) and variants were filtered against the 1000 genomes project database, dbSNP, ESP, GnomAD, and inhouse database.	ANNOVAR		Suggestion: ANNOVAR (RRID:SCR_012821)(link)
PolyPhen-2 (http://genetics.bwh.harvard.edu/pph/), SIFT (http://www.	PolyPhen-2		
	SIFT		Suggestion: SIFT (RRID:SCR_012813)(link)
Blocks.fhcrc.org/sift/SIFT.html), and MutationTaster (http://www.mutationtaster.org/) were performed to predict the possible effects of the variants identified.	MutationTaster		Suggestion: MutationTaster (RRID:SCR_010777)(link)
	http://www.mutationtaster.org/		
The PCR products were sequenced with ABI 3730XL (Thermo Fisher Scientific Inc.) and analyzed by DNASTAR 5.0 software (DNASTAR, Inc.). 2.4 Sequential analysis and structural modeling BioEdit sequence alignment editor was used for sequence study (http://www.mbio.ncsu.edu/bioedit/bioedit.html).	BioEdit		
In brief, the 3D coordinates of the YY1 zinc domain structure were obtained from the Protein Data Bank (PDB: 1UBD 43) (http://www.rcsb.org/pdb/home/home.do), and the structures were visualized using PyMOL software (http://www.pymol.org/).	PyMOL		Suggestion: PyMOL, RRID:SCR_000305(link)
	http://www.pymol.org/		

Other Entities Detected

Your Sentences	Recognized Entity
Oligonucleotides	
2.3 Sanger sequencing Polymerase chain reaction (PCR) was performed to amplify YY1 (NM_003403.5) fragment using the primers as following: YY1-F (5#-TCCCTTAGGTGTGTAGGATT CATT-3'#) and YY1-R (5#-CTGTTCTCTAGCAAAGCAGTGAG- 3#).	5#-CTGTTCTCTAGCAAAGCAGTG AG-3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq