Document Identifier: **PMC8081922**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
2.5 Statistical analysis All signaling experiments were run in triplicate and were performed three times.
Number: 2.5 Statistical analysis All signaling experiments were run in triplicate and were performed three times.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Protein was also isolated by direct lysis of cells in protein sample buffer and analyzed by Western blot with a b-catenin (Santa Cruz catalogue 7963) and LOX antibody (Abcam, catalogue Ab31238) to examine their respective protein levels.	b-catenin		
	LOX		
Recombinant DNA			
2.2 LOX promoter studies The 2.5 kbp mouse lysyl oxidase promoter DNA extending from -2,073 bp upstream from the translation start site to position +434 bp in pGL4.10 luciferase reporter construct (Promega cat E6651) was employed.	pGL4.10		Suggestion: RRID:Addgene_72684(link)
Cells were co-transfected with the renilla luciferase thymidine kinase luciferase reporter construct as a normalization control for the degree of transfection (pRL-TK, Promega catalogue E2241).	pRL-TK		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One way ANOVA with Tukeys post-hoc test for specific differences in between groups was employed for all analyses involving multiple groups, and students t-test employed for all other analyses.	ANOVA
	Tukeys post-hoc test
	t-test
Oligonucleotides	
Table 1 Mutated Site Wildtype sequence Mutant sequence Site 1: -913 to -906 AAGCTTTGTTCCC AAGCTTTGGCCCC Site2: -1321 to -1328 CACCTTTGTTTAG CACCTTTGGCTAG Site3: -1392 to -1385 TTTCTTTGAATTT	AAGCTTTGTTCCC
	CACCTTTGTTTAG

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq