Document Identifier: **PMC8082844**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by the ethical committee of the University Medical Center Gottingen
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Human brain samples Paraffin-embedded human brain samples from sporadic AD (n = 20 mean age 84.45 +- 6.45 , average post mortem interval (PMI) = 4:37 +- 0:56 h 14 females , 6 males) , nondemented controls (NDC n = 11 mean age 84.18 +- 7.17 , average PMI = 8:11 +- 5:54 h 7 females , 4 males) and Down syndrome (DS n = 2 mean age 61.0 +- 4.24 , average PMI = 5:12 +- 1:21 h 1 female , 1 male) were obtained from the Netherlands Brain Bank (Table 1) .
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
In order to perform a semi-quantitative analysis of the staining, the sections were evaluated in a blinded fashion using a BX51 microscope (Olympus, Hamburg, Germany) equipped with a Moticam Pro 282 camera (Motic, Wetzlar, Germany).
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Next , the detection was carried out using mouse monoclonal antibodies 80C2 (218231 , Synaptic Systems , Goettingen , Germany , 20 mgml) and 82E1 (IBL International , Hamburg , Germany , 20 mgml) , both detecting full-length Ab starting with Asp-1 , antibody 18H6 (1.9 mgml) 20 detecting truncated Ab starting with Phe-4 and the generic Ab antibody 4G8 (BioLegend , San Diego , CA , USA , 2 mgml) .	Asp-1 ,		
Chemiluminescence detection was carried out using peroxidase-labelled anti mouse secondary antibodies (with 4G8 , 80C2 and 82E1) or biotinylated anti-rabbit , anti-mouse or antihuman IgG plus peroxidase-conjugated streptavidin (in case of 24311 , 18H6 and the humanized biosimilar antibodies Bapineuzumab and Crenezumab) .	anti mouse secondary antibodies		
	anti-mouse		
	antihuman IgG		
, anti-mouse, anti-rabbit and anti-human antibodies (all DAKO) were used in a 1:200 dilution.	anti-mouse,		
	anti-rabbit		
	anti-human antibodies		
Software and Algorithms			
Heat maps were plotted using GraphPad Prism 8.3.0 (GraphPad, San Diego, CA, USA).	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq