Document Identifier: **PMC8090795**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the Vilnius regional biomedical research ethics committee (approval No. 158200-18-922-500).
Consent: Written informed consent was obtained from all participants before enrollment in the study.
Inclusion and Exclusion Criteria
Participants who had fewer than 8 teeth remaining, were pregnant, had diabetes mellitus, or were taking medication known to affect periodontal tissues (calcium channel blockers, antiepileptic drugs) were excluded from the research in order to eliminate any sources of bias.
Attrition
not detected.
Sex as a biological variable
Participants who had fewer than 8 teeth remaining, were pregnant, had diabetes mellitus, or were taking medication known to affect periodontal tissues (calcium channel blockers, antiepileptic drugs) were excluded from the research in order to eliminate any sources of bias.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
Statistical analysis For the sample size calculation, CAL was considered as the primary endpoint, with an expected difference of 1.0 mm and a standard deviation of 1.5 mm between groups.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Disease duration as well as current RA treatment with glucocorticoids (prednisolone or methylprednisolone) , synthetic disease-modifying antirheumatic drugs (sDMARDs) , such as methotrexate or sulfasalazine , andor biologic disease-modifying anti-rheumatic drugs (bDMARDs) , such as TNF-a inhibitors , IL-6 receptor antagonist , and anti-CD20 monoclonal antibodies , were recorded.	methylprednisolone) , synthetic disease-modifying antirheumatic drugs (sDMARDs)		
	anti-rheumatic drugs (bDMARDs)		
	TNF-a inhibitors		
	IL-6 receptor antagonist		
	anti-CD20 monoclonal antibodies		
	anti-CD20		
Seropositivity of RA (positive rheumatoid factor andor anti-citrullinated protein antibodies ACPA) and CRP concentrations were recorded from patients medical records.	anti-citrullinated protein		
Software and Algorithms			
All data were analyzed using SPSS version 25.0 (IBM, Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Inter-group comparisons of continuous variables were carried out by performing the Shapiro-Wilk normality test, followed by the Students t-test or Mann-Whitney U test as appropriate.	Shapiro-Wilk normality test
	t-test
	Mann-Whitney U test
The kh2 test was used for categorical variables.	kh2 test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq