Document Identifier: **PMC8106431**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Patients with a diagnosis of schizophrenia or bipolar affective disorder attending the inpatient occupational therapy program at the department of psychiatry aged between 18 and 60 years of age and who gave written informed consent were included for the study.
Inclusion and Exclusion Criteria
Clients with a clinical diagnosis of moderate to profound intellectual disability, those with organic mental disorders, and those with acute psychotic presentations were excluded from the study.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patients with a diagnosis of schizophrenia or bipolar affective disorder attending the inpatient occupational therapy program at the department of psychiatry aged between 18 and 60 years of age and who gave written informed consent were included for the study.
Randomization
not detected.
Blinding
not detected.
Power Analysis
Study sample The sample size calculation based on the guidelines for estimating sample size for intraclass correlation coefficient (ICC), for two observations, with a prespecified alpha value of 0.05, power of 0.9, and ICC value of 0.3 was 91.17 Out of one hundred and ten consecutive inpatients recruited, ten assessments could not be completed due to unplanned discharge or emergence of psychotic symptoms hence, data were collected till a sample size of 100 was reached.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All the statistical analyses were performed using SPSS 18.0 (SPSS Inc., Chicago, Ill., USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The correlation of VILS with the CEBLS, BPRS, GHQ-12, and continuous sociodemographic variables was evaluated using the Pearsons correlation coefficient (PCC).	Pearsons correlation
The association between categorical sociodemographic variables and the VILS was measured using one-way ANOVA test.	ANOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq