Document Identifier: **PMC8106762**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
We excluded studies conducted in single-sex populations, populations where significant weight change was likely (e.g., studies conducted in elite athletes, weight loss trials, or people with a medical condition in whom weight change is a common side effect of the disease or treatment), where the population was unlikely to be eating in their usual manner (e.g., controlled feeding studies), and studies conducted in animals.
Attrition
123 studies in the main analysis, 4 studies presented geometric means, and are included in the sensitivity analysis.
Sex as a biological variable
Reasons for exclusion at the full-text stage were coded as studies that were conducted in 1 sex (and therefore comparison between sexes was not possible), studies that had an unacceptable study design (for example review articles, commentaries, or secondary analyses of study data already included in the review), studies that did not disaggregate data on TEI and TEE for females and males, duplicates, studies with an unacceptable patient population (for example elite athlete, hospitalized, or pregnant populations, as set out in our exclusion criteria), unacceptable comparator (studies that did not use DLW to estimate TEE or did not use a self-report dietary assessment method to estimate TEI), studies where the full text was not available through the online databases or through request through university libraries, studies with an abstract only (for example abstracts published from conference presentations without evidence of a full text being available), studies conducted in populations aged <18 y, and studies that were not available in English.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding

This checklist includes 10 study quality criteria: clarity of the research question, selection of participants, comparability of study groups, methods of handling withdrawals, blinding of intervention and measurements, descriptions of the intervention, description of outcomes, appropriateness of statistical analyses, discussion of biases and limitations and the likely influence of study funding or sponsorship.

Power Analysis

not detected.

Replication

Reasons for exclusion at the full-text stage were coded as studies that were conducted in 1 sex (and therefore comparison between sexes was not possible), studies that had an unacceptable study design (for example review articles, commentaries, or secondary analyses of study data already included in the review), studies that did not disaggregate data on TEI and TEE for females and males, duplicates, studies with an unacceptable patient population (for example elite athlete, hospitalized, or pregnant populations, as set out in our exclusion criteria), unacceptable comparator (studies that did not use DLW to estimate TEE or did not use a self-report dietary assessment method to estimate TEI), studies where the full text was not available through the online databases or through request through university libraries, studies with an abstract only (for example abstracts published from conference presentations without evidence of a full text being available), studies conducted in populations aged <18 y, and studies that were not available in English.

Number: Reasons for exclusion at the full-text stage were coded as studies that were conducted in 1 sex (and therefore comparison between sexes was not possible), studies that had an unacceptable study design (for example review articles, commentaries, or secondary analyses of study data already included in the review), studies that did not disaggregate data on TEI and TEE for females and males, duplicates, studies with an unacceptable patient population (for example elite athlete, hospitalized, or pregnant populations, as set out in our exclusion criteria), unacceptable comparator (studies that did not use DLW to estimate TEE or did not use a self-report dietary assessment method to estimate TEI), studies where the full text was not available through the online databases or through request through university libraries, studies with an abstract only (for example abstracts published from conference presentations without evidence of a full text being available), studies conducted in populations aged <18 y, and studies that were not available in English.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The following electronic databases were searched: MEDLINE, Scopus, Web of Science, EMBASE, CINAHL and Cochrane Central Register of Controlled Trials.	MEDLINE		Suggestion: MEDLINE (RRID:SCR_002185)(link)
	EMBASE		Suggestion: EMBASE (RRID:SCR_001650)(link)
	Cochrane Central Register of Controlled Trials		Suggestion: Cochrane Central Register of Controlled Trials (RRID:SCR_006576)(link)
Analyses were conducted using STATA version 16.0 statistical software (Stata Corporation) and RStudio version 1.1.463 (RStudio, Inc.) statistical software.	STATA		Suggestion: Stata (RRID:SCR_012763)(link)
	RStudio		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Heterogeneity was assessed using Cochrans Q-test and the I2 statistic.	Cochrans Q-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq