Document Identifier: **PMC8110282**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the ethics committee of Eye and ENT Hospital of Fudan University and was conducted according to the tenets of the Declaration of Helsinki for the use of human subjects in biomedical research.
Consent: Informed consent was obtained from all individual participants included in the study.
Inclusion and Exclusion Criteria
Exclusion criteria were following: 1) previous diagnosis of POAG; 2) age < 30 years old; 3) severe opacity of refractive media; 4) narrow or closed-angle; 5) the previous history of intraocular surgery; 6) any of the factors (such as uveitis) causing secondary glaucoma; 7) anomalous discs, including tilted discs; 8) corneal diseases influencing the measurement of intraocular pressure (IOP).
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Exclusion criteria were following: 1) previous diagnosis of POAG; 2) age < 30 years old; 3) severe opacity of refractive media; 4) narrow or closed-angle; 5) the previous history of intraocular surgery; 6) any of the factors (such as uveitis) causing secondary glaucoma; 7) anomalous discs, including tilted discs; 8) corneal diseases influencing the measurement of intraocular pressure (IOP).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical Analysis All analyses were performed in SPSS software, version 25.0 (IBM, Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
For the comparison of variables among the non-glaucoma group, the POAG suspect group, and the POAG group, one-way analysis of variance was used to compare the means of continuous variables.	analysis of variance
The chi-square test was used to identify the difference in categorical variables.	chi-square test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq