Document Identifier: **PMC8114427**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
The VRF cases were asymptomatic because patients with transient ischemic attack (TIA) and stroke were excluded, and the MS cases were imaged outside of relapse and did not have new relevant symptoms at the time of MRI although the detailed chronic symptoms of each MS patient was not available.
Attrition
not required.
Sex as a biological variable
Materials and methods Study design and cohorts A multicentre, cross-sectional (2006-2017) comparative study assessed people with MS (2010 McDonald criteria 3) without VRF (N = 93, mean age = 47.2 +- 8.2 years, 63.4 females), with VRF (N = 108, mean age = 48.5 +- 8.5 years, 62.0 females) and a non-MS group with VRF (N = 43, mean age = 58.5 +- 13.8 years, 61.7 females).
Subject Demographics
Age: Materials and methods Study design and cohorts A multicentre, cross-sectional (2006-2017) comparative study assessed people with MS (2010 McDonald criteria 3) without VRF (N = 93, mean age = 47.2 +- 8.2 years, 63.4 females), with VRF (N = 108, mean age = 48.5 +- 8.5 years, 62.0 females) and a non-MS group with VRF (N = 43, mean age = 58.5 +- 13.8 years, 61.7 females).
Randomization
not detected.
Blinding
Visual scoring Investigators (R.G., M.J., G.R.d.P.) were blinded to clinical information, performed visual assessment of the brain MRIs (3T) using the following sequences: 2D3D T2-weighted fluid-attenuated inversion recovery and or 2D T2-weighted fast spin echo (Supplemental Table 1).
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Specificity and 95 CI were calculated using MEDCALC statistical software.	MEDCALC		Suggestion: MedCalc (RRID:SCR_015044)(link)
All other analyses were performed with SPSS version 25, R software version 3.6.2, and GraphPad Prism version 7.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Chi-square or Fishers exact test and nonparametric tests were applied as appropriate.	Chi-square
	Fishers exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq