Document Identifier: **PMC8120369**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written informed consent was obtained from each subject before study inclusion .
IRB: The study protocol has been approved by the local Ethics Committee of the University of Erlangen-Nuremberg .
Inclusion and Exclusion Criteria
Key exclusion criteria were acute cardiac decompensation , dyspnoea at rest , uncontrolled arterial hypertension (>180/110 mmHg) , uncontrolled diabetes (fasting plasma glucose ≥ 240 mg/dL , glycated haemoglobin ≥ 10 %) , any history of stroke , transient ischemic attack , instable angina pectoris , or myocardial infarction within the last 6 months prior to study inclusion and eye diseases such as cataract , glaucoma , age-related macular degeneration , or diabetic as well as hypertensive retinopathy .
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Weight: Other main exclusion criteria were an estimated glomerular filtration rate below 30 mL/min/1.73 m2 and a body mass index higher than 40 kg/m2 or active smoking status (ClinicalTrials . gov NCT03128528) .
Age: In this study , a total of 398 randomly selected individuals from an urban population aged 25 to 65 years , resident in Pilsen , Czech Republic , underwent a screening for major cardiovascular risk factors .
Randomization
Methods Study design Within a randomized, double-blind, placebo-controlled, parallel-group clinical trial that evaluates sodium imbalance and vascular changes in patients with CHF and reduced as well as mid-range LVEF (
Blinding
not detected.

Power Analysis	
not detected.	
Replication	
not required.	
Cell Line Authentication	
Authentication: Assessment of office BP and heart rate was carried out in standard fashion by validated devices (DINAMAP® PRO 100V2 , GE Critikon) in a seated position after 5 min of rest according to European Society of Cardiology/European Society of Hypertension guideline recommendations . 34 Controls The screening examination consisted of a physician-completed questionnaire; currently prescribed drugs were recorded and verified (if possible) against drug containers .	
Protocol Information	
Identifiers: ClinicalTrials . gov Identifier: NCT03128528) , subjects underwent SLDF measurement at the Clinical Research Center of the Department of Nephrology and Hypertension , University Hospital Erlangen-Nuremberg , Germany (http://www.crc-erlangen.de) between July 2017 and 2019 .	NCT03128528

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis All analyses were performed using SPSS software , Version 21.0	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Subsequently, paired t-test and Wilcoxon-test were applied for comparison of retinal microvascular parameters between the two groups.	t-test
	Wilcoxon-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq