Document Identifier: **PMC8120513**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Each experiment was repeated three times.
Number: Each experiment was repeated three times.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The following antibodies were used: Rabbit anti-TGF-b (1:1,000 cat. no. ab66043 Abcam), rabbit anti-ALK1 (1:1,000 cat. no. ab108207 Abcam), rabbit anti-ALK5 (1:1,000 cat. no. sc-398 cat no. F0315 Santa Cruz Biotechnology, Inc.), rabbit anti-phospho-SMAD2 (1:5,000 cat. no. ab188334 Abcam), rabbit anti-SMAD2 (1:5,000 cat. no. ab40855 Abcam), rabbit anti-GAPDH (1:8,000 cat. no. I0494-I-AP ProteinTech Group, Inc.) and goat anti-rabbit IgG (1:10,000 cat. no. ab150077	anti-TGF-b		Suggestion: (DSHB Cat# anti-ABD-B (1A2E9), RRID:AB_528061)(link)
	anti-ALK1		Suggestion: (Karen Menuz, University of Connecticut Cat# anti-Amt, anti-CG6499, RRID:AB_2864754)(link)
	anti-ALK5		
	anti-phospho-SMAD2		
	anti-SMAD2		
	anti-GAPDH		
	anti-rabbit IgG		
Experimental Models: Cell Lines			
Wound healing assay Fully confluent HUVECs were starved for 2 h with 2 FBS (a stress growing condition) at 37C.	HUVECs		Suggestion: RRID:CVCL_2959(link)
Software and Algorithms			
ImageJ software 1.4.3 (National Institutes of Health) was used to determine cell migration at the 0 and 24 h time points.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analyses were performed using GraphPad Pro Prism 5.0 (GraphPad Software, Inc.). P<0.05 was considered to indicate a statistically significant difference.	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
An unpaired Students t-test or one-way ANOVA followed by the Tukeys multiple comparisons test was used for statistical analysis.	Students t-test
	ANOVA
	Tukeys multiple comparisons test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq