Document Identifier: **PMC8129714**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
We evaluated whether this validation set (call it C) was ranked more highly than a random selection of molecules of the same size.
Blinding
not detected.
Power Analysis
not detected.
Replication
Only signatures labeled as gold (indicating signal strength and consistency between replicates) were used, covering 13,000 unique molecules.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
First, raw data from CMap were downloaded from https:portals.broadinstitute.orgcmap and log-transformed fold changes (FCs) were computed for each of the 6100 signatures representing 1309 molecules profiled in 5 human cancer cell lines (MCF7, PC3, HL60, SKMEL5, and ssMCF7).	MCF7		Suggestion: RRID:CVCL_0031(link)
	PC3		
	HL60		Suggestion: RRID:CVCL_0002(link)
Software and Algorithms			
Based on two different connectivity score metrics (KS and XSum) and two different ways to summarize across cell lines (CellSpecific and CellConsensus), this resulted in four distinct summary scores (i.e., KS-CellSpecific, KS-CellConsensus, XSum-CellSpecific, and XSum-CellConsensus) for each of the two databases, LINCS and CMap.	CMap		Suggestion: CMap (RRID:SCR_016204)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
2 One-sample, two-sided t-tests were then performed to evaluate whether AUC ratios were different from 1.	t-tests
Benjamini-Hochberg 34 multiple hypothesis adjustment was applied to the results of each small molecule.	Benjamini-Hochberg

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq