Document Identifier: **PMC8132757**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Inclusion criteria All women in the Postpartum period (within 3 months following delivery) and gave consent for the study.
IRB: Ethical considerations All eligible postnatal women provided written informed consent and the study was approved by the Institutional Ethics Committee of AIIMS, Patna.
Inclusion and Exclusion Criteria
Inclusion criteria All women in the Postpartum period (within 3 months following delivery) and gave consent for the study.
Attrition
Seven of its items are reverse scored.
Sex as a biological variable
Inclusion criteria All women in the Postpartum period (within 3 months following delivery) and gave consent for the study.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
15 Where, P = 22 (Prevalence of postnatal depression) q = 100 - p = 100 - 22 = 78, Taking d (relative margin of error) = 20 N = 354.5 rounding off to 400 Sampling technique Every 5th subject coming to the respective health center was randomly selected till the desired sample size was reached.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis Data was entered in Microsoft Excel and analyzed using SPSS version 22.	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)
	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Chi-square test was applied to assess the differences in proportions of PPD across sociodemographic, obstetric, and psychosocial variables.	Chi-square test
Extended Mantel-Haenszel Chi-square test for linear trend was applied to test the trend of prevalence in more than two exposure levels.	Mantel-Haenszel Chi-square test
	Chi-square
Model fit was evaluated using the Hosmer-Lemenshow test.	Hosmer-Lemenshow test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq