Document Identifier: **PMC8132906**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Lifelines participants , who had completed the second round assessment including lung function testing , were invited for the ImaLife study , and after informed consent , underwent a low-dose computed tomography (CT) examination of the chest .
IRB: The ImaLife study was approved by the medical ethics committee of the University Medical Center Groningen , the Netherlands .
Inclusion and Exclusion Criteria
Participants in whom the CT images revealed cardiac intervention or who had a history of CAD were excluded from the analysis (n=74) .
Attrition
not detected.
Sex as a biological variable
Differences in characteristics and SCORE risk between men and women were compared using independent t test or Mann-Whitney U test for continuous variables depending on the distribution, and kh2 test for categorical variables.
Subject Demographics
Age: For the purpose of this study , 4157 participants , aged 45 to 60 years at the time of the CT scan , were consecutively enrolled from inception until February 2019 .
Weight: glycated hemoglobin A1c >=7.0 , andor use of oral antidiabetic medication or insulin.19,21 Body mass index was calculated weight (kg)height (m2) , using anthropometric measurements at the second round assessment obesity was defined as body mass index >=30 kgm2 .
Randomization
not detected.
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences in characteristics and SCORE risk between men and women were compared using independent t test or Mann-Whitney U test for continuous variables depending on the distribution, and kh2 test for categorical variables.	t test
	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq