Document Identifier: **PMC8135215**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Many of them have been the subject of a standardized collection of disease characteristics since the initiation of our centers research studies in 1998 .
IRB: This study has been conducted in compliance with the Declaration of Helsinki principles and has received ethics board approval by GNEDS (
Consent: The need for written informed consent was waived by the Ethics Committee because of the retrospective study design (French public health code article: L 1121-1).
Inclusion and Exclusion Criteria
We excluded patients who only had a Doppler ultrasound vascular exploration and patients with insufficient data on their records .
Attrition
Each patient included in this study received written information and no patient objected to this study.
Sex as a biological variable
not detected.
Subject Demographics
Age: They fulfilled the GCA American College of Rheumatology (ACR) 1990 criteria or were aged over 50 years old, CRP > 10 mgl, and one or more GCA clinical signs and involvement of large vessels with wall inflammation on imaging. 23,24 Each patient had an imaging assessment of large vessels at diagnosis of GCA, by computed tomography (
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication	
not required.	
Data Information	
Identifiers: 2,22,25 -27 We collected 247 parameters , including demographic features , comorbid conditions , systemic and associated GCA symptoms like PMR meeting the European League Against Rheumatism (EULAR) criteria , 28 or any other peripheral musculoskeletal manifestations not meeting PMR criteria (peripheral arthritissynovitis , polyarthritispolyarthralgia , myalgia , or rheumatoid arthritis meeting the ACR criteria , 29 extremity swelling with or without pitting edema , distal tenosynovitis) but improving under corticosteroids .	2,22,25

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis was performed with SPSS v26 (IBM Corp. Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The two patients groups with Relapsing (R) and non-relapsing (NR) patients were compared using the Fisher exact test for categorical variables and Student tests (Mann-Whitney test when n < 30) for quantitative variables.	Fisher exact test
	Student tests
	Mann-Whitney test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq