Document Identifier: **PMC8137052**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: The exclusion criteria consisted of preterm delivery with insufficient GWG, maternal chronic disorders, incomplete anamnesis, and pregnant women who refused to sign the informed consent form.
IRB: The laboratory parameters were assessed using a Cobas Integra 400 plus automated analyzer (Roche Diagnostics GmbH, Mannheim, Germany. 2.4 Informed consent The study was approved by the Ethics Committee of the University of Medicine, Pharmacy, Sciences and Technology from Targu Mures (No 13805.07.2017).
Inclusion and Exclusion Criteria
The exclusion criteria consisted of preterm delivery with insufficient GWG, maternal chronic disorders, incomplete anamnesis, and pregnant women who refused to sign the informed consent form.
Attrition
2 Material and methods 2.1 Study design We performed a prospective study on 176 pregnant women from Romania between July 2017 and October 2019, who were divided into 2 groups according to GWG: group 1--normal GWG, 80 cases and group 2--high GWG, 96 cases.
Sex as a biological variable
2 Material and methods 2.1 Study design We performed a prospective study on 176 pregnant women from Romania between July 2017 and October 2019, who were divided into 2 groups according to GWG: group 1--normal GWG, 80 cases and group 2--high GWG, 96 cases.
Subject Demographics
Weight: The Institute of Medicine26 recommends the following criteria in terms of GWG taking into account the pre-pregnancy weight: for underweight women (body mass index BMI <18.5 kgm2), the recommended GWG is 12.5 to 18 kg for normal-weight women (BMI = 18.5-24.9 kgm2), the recommended GWG is 11.5 to 16 kg regarding overweight women (BMI = 25-29.9 kgm2), the recommended GWG is 7.00 to 11.5 kg whereas for obese ones (BMI >30 kgm2), the recommended GWG is 5 to 9 kg.
Age: 26 2.2 Subjects We included in the study all pregnant women that presented for the first trimester ultrasound, with a gestational age of approximately 12 to 13 weeks.
Randomization
not detected.

Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The statistical analysis was performed using the GraphPad Prism program, trial variant.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The Shapiro-Wilk test was applied to determine the series distributions of the analyzed data.	Shapiro-Wilk test
We used t Student test for Gaussian distribution to compare the means of the analyzed variables values, whereas for non-Gaussian distribution of data series, Mann-Whitney test was applied to determine whether there was a statistically significant difference between the median values of the studied variables.	Student test
	Mann-Whitney test
Pearson test was applied for identifying possible correlations.	Pearson test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq