Document Identifier: **PMC8150422**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: In agreement with the Declaration of Helsinki , all patients enrolled in this study provided written informed consent at the time of their evaluation , stating that their data and images may be subsequently used for research purposes .
IACUC: Given the retrospective nature of the study , ethical committee approval was not required however , our Institutional Board (Ospedali Riuniti Ancona
IRB: Given the retrospective nature of the study , ethical committee approval was not required however , our Institutional Board (Ospedali Riuniti Ancona
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Methods Study design and population In this multicenter, retrospective, cross-sectional study, we used the databases of our Institutes (Ospedali Riuniti of Ancona and SS. Annunziata of Chieti) to select 22 patients median age, 24 years interquartile range (IQR), 16-40 years all male who had been referred for exertional angina with Canadian Cardiovascular Society (
Subject Demographics
Age: Methods Study design and population In this multicenter, retrospective, cross-sectional study, we used the databases of our Institutes (Ospedali Riuniti of Ancona and SS. Annunziata of Chieti) to select 22 patients median age, 24 years interquartile range (IQR), 16-40 years all male who had been referred for exertional angina with Canadian Cardiovascular Society (
Randomization
not detected.
Blinding
not detected.

Power Analysis
13 Therefore, we determined a sample size of 15 participants to gain sufficient statistical power at the 95 confidence interval (CI) and precision of 0.05.
Replication
Number: Two independent physicians (E.B. and V.B.), both experts in echocardiography and speckle-tracking analysis, reviewed and reanalyzed the stored images in a double-blind fashion (diagnosis and groups).

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All statistical analyses were performed with Stata v14.1 (StataCorp, College Station, TX, USA) and Prism 8.0 (GraphPad Software, La Jolla, CA, USA).	Stata		Suggestion: Stata (RRID:SCR_012763)(link)
	StataCorp		Suggestion: Stata, RRID:SCR_012763(link)
	Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences in continuous variables were assessed using Students t-test, and differences in categorical variables were assessed using the chi-square test.	t-test
	chi-square test
According to the Kolmogorov-Smirnov test, variables with a non-normal distribution were logarithmically transformed before entering them into the multivariable analysis.	Kolmogorov-Smirnov test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq