Document Identifier: **PMC8154418**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| Field Sample Permit: Methods Ethics Statement All procedures with animals were carried out according to the recommendations of the national guidelines for animal caring: 12.08.1977 N 755 On measures to further improve the organizational forms of work using experimental animals and approved by the Siberian State Medical University (license number 5786 issued on February 26, 2018). |
| Inclusion and Exclusion Criteria |
| not required. |
| Attrition |
| Four NMR experiments were performed on each serum sample: 1D NOESY , CPMG , diffusion edited , and 2D JRES. |
| Sex as a biological variable |
| Parasites, Experimental Opisthorchiasis Model, and Experimental Design Twenty golden Syrian hamsters (Mesocricetus auratus) of both genders were purchased from the animal facility of the Institute of Bioorganic Chemistry Academicians M. M. Shemyakin and U. A. Ovchinnikov. |
| Subject Demographics |
| Age: After 1 week of acclimatization, at the age of 6 weeks old, 10 animals (5 males and 5 females) were infected orally with 50 O. felineus metacercariae in phosphate-buffered saline (PBS) (infected group). |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| not required. |

| Data Information | |
|---|---|
| Identifiers: Buffer solution B was a disodium phosphate buffer in D2O (pH = 7.4) containing 1.5 M K2HPO4, 2 mM NaN3, and 4 mM TSP. | K2HPO4 |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| 35 Data Analysis All data analyses were performed with the R statistical environment ( http:www.r-project.org , R versions 3.6.0 , 3.6.1) . | http:www.r-project.org | | |
| To dissect an optimal subset of metabolites , we used a regression approach , namely , the DIABLO ( Data Integration Analysis for Biomarker discovery using Latent variable approaches for Omics studies ) tool of the mixOmics package ( version 6.10.1) . | mixOmics | | Suggestion: mixOmics (RRID:SCR_016889)( link) |
| For data visualization the ggplot2 package (version 3.2.1) was used. | ggplot2 | | Suggestion: ggplot2 (RRID:SCR_014601)( link) |
| Metabolic network enrichment analysis was performed in the MetExplore v2.23.15 environment, using the KEGG global network for a Chinese hamster (Cricetulus griseus) (a network for a golden Syrian hamster (Mesocricetus auratus) is not available currently). 36,37 The metabolites selected by the multiblock regression modeling were used for the pathway enrichment on each block separately. | MetExplore | | |
| | KEGG | | |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| Only the pathways with $p < 0.05$ after Bonferroni correction were included in the resulting graphs. | Bonferroni |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq