SciScore: 5
What's this?

Document Identifier: **PMC8169344**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study protocol was approved by the ethics committees of Shanghai Jiao Tong University Affiliated Sixth Peoples Hospital in accordance with the principles of the Helsinki Declaration .
Consent: Written informed consent was obtained from each participant .
Inclusion and Exclusion Criteria
The inclusion criterion was diabetes with stable antidiabetic treatment regimens for at least 3 months preceding the recruitment .
Attrition
Another 612 participants with type 1 diabetes were also included (group 6) .
Sex as a biological variable
Pregnant female participants were also excluded.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
CGM parameters and the definition of hypoglycemia All included participants had undergone blinded 72-h CGM (CGMS GOLD Medtronic Inc .
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Type 1 diabetes was diagnosed as positive for autoantibodies to glutamic acid decarboxylase andor islet antigen 2 .	glutamic acid decarboxylase andor islet antigen 2		
Software and Algorithms			
Statistical analyses were carried out using SPSS version 23.0 (SPSS Inc., Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Clinical characteristics that followed a normal distribution were compared among groups using one-way analysis of variance with a post-hoc least significant difference test, whereas those with non-normal distribution were compared using the Kruskal-Wallis test followed by the Mann-Whitney U-test with Bonferroni correction.	analysis of variance
	Kruskal-Wallis test
	Mann-Whitney U-test
	Bonferroni
Spearmans correlation analysis was used to evaluate the correlation between CV and other glycemic parameters.	Spearmans correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq