Document Identifier: **PMC8170159**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was obtained for each subject and was approved by the Institutional Review Board.
IRB: Informed consent was obtained for each subject and was approved by the Institutional Review Board.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
All q-RT-PCR reactions were performed in triplicate.
Number: All q-RT-PCR reactions were performed in triplicate.

Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Membranes were blocked in a blocking buffer of 5 % non-fat dry milk and TBS-T (Tris-buffered saline and 0.1 % Tween) and then incubated in primary antibody (P4HA1 , Cat#12658-1-AP , 1:1000) overnight at 4 °C .	P4HA1		
	Cat#12658-1-AP		
Experimental Models: Cell Lines			
Materials and methods Cell Lines Lung cancer cell lines, A549 and H1437, were obtained from ATCC (Manassas, VA, USA) and cultured in RPMI-1640 (Life Technologies, Carlsbad, CA, USA) supplemented with penicillin-streptomycin (100U/ml) and 10% FBS (Life Technologies).	A549		Suggestion: RRID:CVCL_0023(link)
BEAS-2B cells were obtained from ATCC and cultured in BEBM (Lonza, Basel, Switzerland) supplemented with BEGM (Lonza, Basel, Switzerland).	BEAS-2B		Suggestion: RRID:CVCL_0168(link)
Software and Algorithms			
Small molecule inhibition The P4HA1-specific inhibitor , diethyl-PythiDC (PythiDC) , was obtained from MedChemExpress	PythiDC		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Mean miR-124-3p expression (Error bars ± SEM: *P = 0.048 , one-sided student 's t-test with unequal variance) .	student 's t-test
Statistical analysis To determine significant differences between two groups, Student's two-tail t-test was used for all experiments.	t-test
Kaplan-Meier survival curve with log-rank test was used for overall survival analysis based on gene expression value.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq