Document Identifier: **PMC8177438**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The University of Utah Institutional Review Board (IRB 136,696) has determined that this study does not meet the definitions of Human Subjects Research for using secondary data with no intervention or interaction with an individual, and for not having identifiable private information in the data.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Table 1 Characteristic Total n (1) Opioid use disorder indication n (1) No opioid use disorder indication n (1) p-value10 Total 52,3122 1013 (1.93) 51,299 (98.13) Demographic Characteristics Age (Years)4 53 (35-68) 60 (48-70) 53 (35-68) <0.001 11 Sex 0.90 Female 26,512 (50.7) 511 (50.4) 26,001 (50.7) Male 25,800 (49.3) 502 (49.6) 25,298 (49.3) Race and Ethnicity <0.001 Non-Hispanic Black or African American 10,617 (20.3) 226 (22.3) 10,391 (20.3) Non-Hispanic White 15,027 (28.7) 572 (56.5) 14,455 (28.2) Non-Hispanic Other5 8257 (15.8) 71 (7.0) 8186 (16.0) Hispanic or Latino 18,411 (35.2) 144 (14.2) 18,267 (35.6) Insurance Type <0.001 Private 17,969 (34.3) 150 (14.8) 17,819 (34.7) Medicaid 8587 (16.4) 225 (22.2) 8362 (16.3) Medicare 11,768 (22.5) 401 (39.6) 11,367 (22.2) Other6 13,988 (26.7) 237 (23.4) 13,751 (26.8) Region7 <0.001 Northeast 11,794 (22.5) 216 (21.3) 11,578 (22.6) Southeast 17,935 (34.3) 306 (30.2) 17,629 (34.4) Midwest 7699 (14.7) 149 (14.7) 7550 (14.7) West 12,323 (23.6) 237 (23.4) 12,086 (23.6) Missing 2561 (4.9) 105 (10.4) 2456 (4.8) Clinical Characteristics OUD Indication8 1013 (1.9) - - History of chronic disease9 Type 2 Diabetes (DM) 14,119 (27.0) 474 (46.8) 13,645 (26.6) <0.001 Hypertension 23,218 (44.4) 739 (73.0) 22,479 (43.8) <0.001 Cardiovascular Disease (CVD) 27,682 (52.9) 861 (85.0) 26,821 (52.3) <0.001 Coronary Heart Disease (CHD) 4360 (8.3) 207 (20.4) 4153 (8.1) <0.001 Asthma 9165 (17.5) 438 (43.2) 8727 (17.0) <0.001 Chronic Kidney Disease (CKD) 7014 (13.4) 315 (31.1) 6699 (13.1) <0.001 Acute Respiratory Distress Syndrome (ARDS) 1880 (3.6) 105 (10.4) 1775 (3.5) <0.001 Chronic Obstructive Pulmonary Disease (COPD) 6529 (12.5) 392 (38.7) 6137 (12.0) <0.001 Medications Hydroxychloroquine 7468 (14.3) 152 (15.0) 7316 (14.3) 0.53 Remdesivir 399 (0.8) 5 (0.5) 394 (0.8) 0.4612 Decadron or Prednisone 4166 (8.0) 154 (15.2) 4012 (7.8) <0.001 Aspirin and Plavix 894 (1.7) 37 (3.7) 857 (1.7) <0.001 Anticoagulant 17,756 (33.9) 533 (52.6) 17,223 (33.6) <0.001 1 n (column) except when otherwise noted.
Subject Demographics
Age: not detected.
Weight: not detected.

Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Demographic predictors included age (in 10-year increments), sex, race and ethnicity (categories: (i) Non-Hispanic Black or African American, (ii) Non-Hispanic White, (iii) Hispanic or Latino with any race, and (iv) Non-Hispanic Other which includes Non-Hispanic American Indian or Alaskan Native, Non-Hispanic Asian or Pacific Islander, Non-Hispanic: other, unknown, or mixed race), type of insurance held (categories: (i) Private, (ii) Medicaid, (iii) Medicare, and (iv) Other which includes Other GovernmentMisc, Self-Pay, and Missing), and U.S. geographic region (defined by one-digit zip code) including (i) Northeast: 0 (Connecticut, Massachusetts, Maine, New Hampshire, New Jersey, Rhode Island, Vermont), 1 (Delaware, New York, Pennsylvania) (ii) Southeast: 2 (DC, Maryland, North Carolina, South Carolina, Virginia, West Virginia), 3 (Alabama, Florida, Georgia, Mississippi, Tennessee) (iii) Midwest: 4 (Indiana, Kentucky, Michigan, Ohio), 5 (Iowa, Minnesota, Montana, North Dakota, South Dakota, Wisconsin), 6 (Illinois, Kansas, Missouri, Nebraska), 7 (Arkansas, Louisiana, Oklahoma, Texas) (iv) West: 8 (Arizona, Colorado, Idaho, New Mexico, Nevada, Utah, Wyoming), 9 (Alaska, California, Hawaii, Oregon, Washington), and (v) Missing.	Non-Hispanic White		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Stratified data were compared using Chi-Square tests for categorical variables with sufficient sample size, Fishers Exact tests for those with small sample size, and non-parametric continuous variables were compared using Wilcoxon Rank-Sum tests.	Chi-Square tests
	Fishers Exact tests
	Wilcoxon Rank-Sum tests
Median maximum LOS was compared with a Wilcoxon Rank-Sum test and percentages of hospitalization, death, and invasive ventilator dependence were compared with Chi-Square tests.	Wilcoxon Rank-Sum test
10 Chi-Square test (unless otherwise noted).	Chi-Square test
12 Fishers Exact test.	Fishers Exact test
Unadjusted maximum LOS was compared between the four groups with a Kruskall-Wallis test, and fit with an exponential regression model for the adjusted results.	Kruskall-Wallis test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq