Document Identifier: **PMC8184506**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: All experiments were approved and carried out in accordance with the Animal Ethics Committee from Ribeirão Preto Medical School (protocol no.046/2015) .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Experimental model and subject details Animals Male 6- to 8-week-old C57BL/6 (WT) (Jackson Laboratory , stock number 000664) and Nlrc4 -/- (Lara-Tejero et al. , 2006) , Nlrp3 -/- (Mariathasan et al. , 2006) and Asc -/- (Sutterwala et al. , 2006) mice were obtained from the Isogenic Breeding Unit at Ribeirão Preto Medical School , USP , Brazil .
Subject Demographics
Age: Experimental model and subject details Animals Male 6- to 8-week-old C57BL/6 (WT) (Jackson Laboratory , stock number 000664) and Nlrc4 -/- (Lara-Tejero et al. , 2006) , Nlrp3 -/- (Mariathasan et al. , 2006) and Asc -/- (Sutterwala et al. , 2006) mice were obtained from the Isogenic Breeding Unit at Ribeirão Preto Medical School , USP , Brazil .
Randomization
Histopathological analyses Animals were randomly selected from each group at 30 dpi.
Blinding
not detected.
Power Analysis
not detected.
Replication

The mean cycle threshold (Ct) values of triplicate measurements were used to calculate the expression of the target genes , which were normalized to the housekeeping gene β2m and analyzed with the 2–ΔΔCt method.
Number: The mean cycle threshold (Ct) values of triplicate measurements were used to calculate the expression of the target genes , which were normalized to the housekeeping gene β2m and analyzed with the 2–ΔΔCt method.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
STAR#METHODS Key resources table REAGENT or RESOURCE SOURCE IDENTIFIER Antibodies FITC anti-mouse CD3ε (clone: 145-2C11) BioLegend Cat#100306; RRID:AB_312671 Pacific BlueTM anti-mouse CD4 (clone: RM4-4) BioLegend Cat#116008; RRID:AB_11149680 PE-Cy7TM or PerCP anti-mouse CD8a (clone: 53-6.7) BD Bioscience Cat#552877; RRID:AB_394506 or Cat#553036; RRID:AB_394573 Pacific BlueTM anti-mouse CD45 (clone: 30-F11) BioLegend Cat#103126; RRID:AB_493535 PE anti-human/ mouse CD11b (clone: M1/70) BioLegend Cat#101208;	anti-mouse CD3ε	BioLegend	(BioLegend Cat# 100306, RRID:AB_312671)(link)
	anti-mouse CD4		Suggestion: (C. Birchmeier - Max Delbruck Center for Molecular Medicine, Berlin, Germany Cat# Guinea pig anti-mouse Lbx1 polyclonal antibody, RRID:AB_2532144)(link)
	Pacific BlueTM anti-mouse CD4	BioLegend	(BioLegend Cat# 116008, RRID:AB_11149680)(link)
	anti-mouse CD8a		
	CD8a	BD Biosciences	(BD Biosciences Cat# 552877, RRID:AB_394506)(link)
			(BD Biosciences Cat# 553036, RRID:AB_394573)(link)
	anti-mouse CD45		
	Pacific BlueTM anti-mouse CD45	BioLegend	(BioLegend Cat# 103126, RRID:AB_493535)(link)
	anti-human/ mouse CD11b		
RRID:AB_312791 PE/Cyanine7			(BioLegend Cat# 101208, RRID:AB_312791)(link)
RRID:AB_493568			(BioLegend Cat# 117318, RRID:AB_493568)(link)
RRID:AB_394958			(BD Biosciences Cat# 553623, RRID:AB_394958)(link)
PerCP anti-mouse Ly6C (clone: HK1.4) BioLegend Cat#128028; RRID:AB_10897805	PerCP anti-mouse Ly6C	BioLegend	(BioLegend Cat# 128028, RRID:AB_10897805)(link)
RRID:AB_2561340 APC anti-mouse IFN-γ (clone: XM 61.2) BioLegend			(BioLegend Cat# 127626, RRID:AB_2561340)(link)
Cat#505810; RRID:AB_315404 APC anti-human/mouse IL-1β (pro-form) (clone: NJTEN3) eBioscience Cat#17-7114-80;			(BioLegend Cat# 505810, RRID:AB_315404)(link)
RRID:AB_10670739			(Thermo Fisher Scientific Cat# 17-7114-80, RRID:AB_10670739)(link)
PE anti-mouse Perforin (clone: eBioOMAK-D) eBioscience Cat#12-9392-82; RRID:AB_466242	Perforin clone: eBioOMAK-D eBioscience	Thermo Fisher Scientific	(Thermo Fisher Scientific Cat# 12-9392-80, RRID:AB_466242)(link)

RRID:AB_2294995			(BioLegend Cat# 515405, RRID:AB_2294995)(link)
RRID:AB_2565310 Rabbit polyclonal to IL-1β Abcam Cat#ab9722; RRID:AB_308765			(BioLegend Cat# 149704, RRID:AB_2565310)(link)
	IL-1β	Abcam	(Abcam Cat# ab9722, RRID:AB_308765)(link)
RRID:AB_2068887			(Santa Cruz Biotechnology Cat# sc-1597, RRID:AB_2068887)(link)
RRID:AB_631831			(Santa Cruz Biotechnology Cat# sc-650, RRID:AB_631831)(link)
RRID:AB_477105			(Sigma-Aldrich Cat# I3767, RRID:AB_477105)(link)
RRID:AB_10891784			(Cell Signaling Technology Cat# 8592, RRID:AB_10891784)(link)
Rabbit polyclonal anti-beta Actin Abcam Cat#ab8227; RRID:AB_2305186 InVivoMAb	anti-beta Actin	Abcam	(Abcam Cat# ab8227, RRID:AB_2305186)(link)
IL-1β (clone:B122) BioXCell Cat#BE0246; RRID:AB_2687727	IL-1β	Bio X Cell	(Bio X Cell Cat# BE0246, RRID:AB_2687727)(link)
Immunohistochemistry Lung sections (5µm) obtained at 7 dpi were incubated with primary antibodies to IL-1β (1:250; abcam 9722) , caspase-1 (1:250; sc-1597) and nos2 (1:400; sc-650) diluted in PBS 0.01 % saponin .	caspase-1		
	nos2		
The following antibodies were used: CD3 (1:100; clone: 145-2C11); CD4 (1:100; clone: RM4-4); CD8 (1:100; clone: 53-6.7); CD45 (1:100; clone: 30-F11); CD11b (1:100; clone: M1/70); CD11c (1:100; clone: N418); I-A/I-E (1:100; clone: M5/114.5.2); Ly6C (1:100; clone: HK1.4); Ly6G (1:100; clone 1A8); IFN-γ (1:200; clone: XM 61.2);	CD3		
	CD4		
	CD8		
	CD45		
	CD11b		
	I-A/I-E		
	Ly6C		
Experimental Models: Organisms/Strains			
Cell lines L-929 ATCC ATCC CCL-1 Experimental models: Organisms/ strains C57BL/6J mice Jackson Laboratory 000664 NLRP3 knockout mice Mariathasan et al. , 2006 N/A	C57BL/6J		Suggestion: RRID:IMSR_JAX:000664(link)
NLRC4 knockout mice Lara-Tejero et al. , 2006 N/A ASC knockout mice Sutterwala et al. , 2006 N/A NLRC4 and ASC double-knockout mice (Nlrc4 -/- Asc -/-) This paper N/A Paracoccidioides brasiliensis Pb18 strain Figueiredo et al. (1993) N/A	Nlrc4 -/- Asc -/-		

Experimental model and subject details Animals Male 6- to 8-week-old C57BL/6 (WT) (Jackson Laboratory , stock number 000664) and Nlrc4 -/- (Lara-Tejero et al. , 2006) , Nlrp3 -/- (Mariathasan et al. , 2006) and Asc -/- (Sutterwala et al. , 2006) mice were obtained from the Isogenic Breeding Unit at Ribeirão Preto Medical School , USP , Brazil .	C57BL/6		Suggestion: RRID:IMSR_JAX:000664(link)
	Nlrp3 -/-		
	Asc -/-		
To obtain the Nlrc4 -/- Asc -/- mice (double Knockout mice) , Nlrc4 -/- and Asc -/- knockout mice were backcrossed.	Nlrc4 -/-		
	Asc -/- knockout		
Software and Algorithms			
Rat monoclonal anti-Caspase-1 p20 Genentech Clone:4B4	Genentech		
GraphPad Prism 8.0 GraphPad Software https://www.graphpad.com/scientific-software/prism/ FlowJo software (v10.0.7	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)
	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
) Tree Star , Inc , Ashland , OR , USA https://www.flowjo.com/solutions/flowjo/downloads FACSDiva	FACSDiva		Suggestion: BD FACSDiva Software, RRID:SCR_001456(link)
The data acquisition and bands were densitometrically quantified using iBrightTM CL1500 Imaging System (Thermo Fisher Scientific , Waltham , MA , EUA) or ImageJ software (V1.51) (Schneider et al. , 2012) , and the results were expressed as arbitrary units .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
All primers were designed using the Primer Express software package v2.0	Primer Express		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Significant differences between experimental groups were evaluated with one-way ANOVA and Bonferroni multicomparison test or student's t-test .	ANOVA
	Bonferroni multicomparison test
	student's t-test
The log-rank test (Mantel–Cox) was used to evaluate survival curves .	log-rank test
	Mantel–Cox
Oligonucleotides	
Oligonucleotides Mouse Beta-2 microglobulin forward Ketelut-Carneiro et al. (2019) 5' – CAC CCC CAC TGA GAC TGA TAC ATA –	CAC CCC CAC TGA GAC TGA TAC ATA –
Mouse Beta-2 microglobulin reverse Ketelut-Carneiro et al. (2019) 3'- TCA CAT GTC TCG ATC CCA GTA	3'- TCA CAT GTC TCG ATC CCA GTA
Mouse Nlrp3 reverse This article 3'-CGG TGG TTG CTA GGA GAT GG-5' Mouse Ptgs2 forward This article 5'	3'-CGG TGG TTG CTA GGA GAT GG-5'
– GTG GAA AAA CCT CGT CCA GA–	GTG GAA AAA CCT CGT CCA GA–
Mouse Ptgs2 reverse This article 3'- GCT CGG CTT CCA GTA TTG AG-5' Mouse iNos forward Ketelut-Carneiro et al. (2019) 5' CGA AAC GCT TCA CTT CCA A 3' Mouse iNos reverse Ketelut-Carneiro et al. (2019) 3' – TGA GCC TAT ATT GCT GTG GCT-5' Software and algorithms Image J (v1.51) Schneider et al. (2012)	GCT CGG CTT CCA GTA TTG AG-5'
	5' CGA AAC GCT TCA CTT CCA A 3'
	TGA GCC TAT ATT GCT GTG GCT-5'
Thus , were used for the quantitative PCR with the following primers: mouse Beta-2 microglobulin forward 5'-CAC CCC CAC TGA GAC TGA TAC ATA-3' and reverse 3'-TCA CAT GTC TCG ATC CCA GTA GA-5' ; mouse Nlrp3 forward 5'-GCA GCG CAT CGC CTT CTA TC-3' and reverse 3'-CGG TGG TTG CTA GGA GAT GG-5'; mouse Ptgs2 forward 5'-GTG GAA AAA CCT CGT CCA GA-3' and reverse 3'-GCT CGG CTT CCA GTA TTG AG-5'; mouse iNos forward 5'-CGA AAC GCT TCA CTT CCA A-3' and reverse 3'-TGA GCC TAT ATT GCT GTG GCT-5' .	5'-CAC CCC CAC TGA GAC TGA TAC ATA-3'
	3'-TCA CAT GTC TCG ATC CCA GTA GA-5'
	5'-GCA GCG CAT CGC CTT CTA TC-3'
	5'-GTG GAA AAA CCT CGT CCA GA-3'
	3'-GCT CGG CTT CCA GTA TTG AG-5'
	5'-CGA AAC GCT TCA CTT CCA A-3'
	3'-TGA GCC TAT ATT GCT GTG GCT-5'

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq