Document Identifier: **PMC8186157**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: All animals were maintained under specific pathogen-free conditions at the animal facility , and experiments followed a protocol drafted by the Animal Ethics Committee of Sun Yat-sen University .
Euthanasia Agents: Pathological score of the lung tissues To assess lung damage at 72 h after LPS injection , mice from three different groups were sacrificed by pentobarbital overdose (100 mg/kg) .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Animals and experimental protocol Male BALB/c mice (6–8 wk old) were purchased from the experimental animal center of Sun Yat-sen University .
Randomization
Mice were divided randomly into three groups: control group (n = 15) , LPS group (n = 15) , and rTsP53+LPS group (n = 15) .
Blinding
Scoring was conducted in a blinded manner .
Power Analysis
not detected.
Replication

(IgG2a) with PBS-T containing 0.1 % BSA (100 µl/well) were added in duplicate and then incubated for 2 h at 37°C .
Number: (IgG2a) with PBS-T containing 0.1 % BSA (100 µl/well) were added in duplicate and then incubated for 2 h at 37°C .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Animals and experimental protocol Male BALB/c mice (6–8 wk old) were purchased from the experimental animal center of Sun Yat-sen University .	BALB/c		Suggestion: RRID:MGI:2683685(link)
Recombinant DNA			
The pET-28a(+)-TsP53 plasmid was transformed into Escherichia coli BL21 for large-scale expression of the recombinant protein induced by isopropyl-β-d-thiogalactopyranoside (IPTG, CalBiochem, San Diego, CA, USA) at a final concentration of 1.0 mM for 5 h at 28°C.	pET-28a(+)-TsP53		
Software and Algorithms			
Data were collected using Cellquest software (BD Biosciences) and analyzed with FlowJo software (Tree Star , Ashland , OR , USA)	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
The relative mRNA expression levels of each gene was calculated and analyzed with Image J software (NIH , Bethesda , MD , USA) .	Image J		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis was performed using SPSS 15.0 software for Windows (SPSS, Inc., Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
One-way and two-way analysis of variance was used to compare statistical differences under different conditions.	analysis of variance
Oligonucleotides	
The primer sequences were as follows: TNF-α Forward: 5#CCCAGACCCTCACACTCAGATC AT-3# , Reverse: 5#-GCAGCCTTGTCCCTTGAAG-A GAA-3#; IL-10 Forward: 5#-CTTTCACTTGCCCTCATCC-3 # , Reverse: 5#-ACAAAC-AATACGCCATTCCC -3#; iNOs Forward: 5#-ACATTCAGATCCCGAAACGC-3# , Reverse: 5#-ACAATCCACAACTCGCTCC-3 #; Arg-1 Forward: 5#-GGGGAAAGCCAA-GAAG3# , Reverse: 5#TGGTTGTCAGGGGAGTGT-3#;	5#CCCAGACCCTCACACTCAGATC AT-3#
	5#-GCAGCCTTGTCCCTTGAAG-A GAA-3#
	5#-CTTTCACTTGCCCTCATCC-3 #
	5#-ACAAAC-AATACGCCATTCCC -3#
	5#-ACATTCAGATCCCGAAACGC- 3#
	5#-ACAATCCACAACTCGCTCC-3 #
	5#-GGGGAAAGCCAA-GAAG3#
	5#TGGTTGTCAGGGGAGTGT-3#
β-actin Forward: 5#-TGGA-ATCCTGTGGCATCCAT GAAAC-3# , Reverse: 5#-TAAAACGCAGCTCAGTAACAG T-CCG -3# .	5#-TGGA-ATCCTGTGGCATCCAT GAAAC-3#
	5#-TAAAACGCAGCTCAGTAACAG T-CCG -3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq