Document Identifier: **PMC8190532**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written consent was obtained from included participants.
IRB: 2.6 Ethical approval The Regional Ethical Review Board in Umea, Sweden approved the study (2018-92-32 M).
Inclusion and Exclusion Criteria
Prescriptions written before a participants inclusion in the Betula study were included but prescriptions written after the end of a persons follow-up , for example , after AD diagnosis , were excluded.
Attrition
2.3 Nested case-control study design From the full set of participants in the Betula cohort study (N = 4425), individuals were selected for whom HSV1 and APOE e4 carriership were determined (N = 3384) and from them, those who were HSV1
Sex as a biological variable
not detected.
Subject Demographics
Age: Ages at recruitment ranged from 35 to 95 years of age.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
In short, an in-house ELISA was used to detect antibodies toward HSV IgG antigen.	HSV IgG antigen.		
Software and Algorithms			
6 , 32 RESEARCH IN CONTEXT Systematic review: PubMed was used to search for previously published studies.	PubMed		Suggestion: PubMed (RRID:SCR_004846)(link)
The SPSS Statistics version 25.0	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
2.5 Statistical analyses Paired samples t-test , Wilcoxon signed rank test , and McNemars test without Yates correction were used , where applicable , for univariate analyses to compare cases and their matched controls .	t-test
	Wilcoxon signed rank test
	McNemars test
Differences between the two groups were tested with a Mantel-Cox log rank test .	Mantel-Cox log rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq