Document Identifier: **PMC8191476**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written informed consent was provided by all participants.
Inclusion and Exclusion Criteria
39 Participants were excluded if they could not understand the protocol or follow GSC exercise instructions (by investigators judgment), or if they had received: surgery on affected muscles and ligaments, tendons, nerve trunks, or bones of the treated limbs previous alcohol andor phenol treatment in the treated limbs any drug interfering with neuromuscular function.
Attrition
Statistical Methods Sample size was based on the primary outcome measure, with response rates estimated based on previous abobotulinumtoxinA studies (50 of participants achieving defined change values at week 4 cycle 2), and a hypothesized additional 10 response with GSC (total 60 assumed response rate).32,33 To estimate responder rates with a +-8 accuracy, given a 2-sided 95 confidence interval (CI), 145 participants with evaluable data were required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
Endpoints and Assessments All endpoints and assessments were evaluated by the same physician investigator who performed the injections thus, assessments were not blinded.
Power Analysis
not detected.

Replication	
not required.	
Data Information	
Identifiers: 39,41,42 Compliance with GSC (number of diary days completed), and participant and physical therapist satisfaction with GSC (weeks 6, 12, and reinjectionlast-cycle visits) were assessed.	39,41,42
Protocol Information	
Identifiers: METHODS Study Design ENGAGE was a multicenter, phase IIIbIV (country-dependent), international, prospective, open-label, single-arm study (NCT02969356) conducted between December 2016 and July 2018.	NCT02969356

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Pearsons or Spearmans correlation coefficient assessed associations between full CXA and active function measures, depending on the normality of the parameters analyzed.	Spearmans correlation
Analysis of covariance was performed for QoL measures, using PTT limb and country as fixed factors and baseline as covariate.	Analysis of covariance

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq