Document Identifier: **PMC8191638**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The data collection , as well as their distribution in anonymized format , was approved by their institutional ethics review board.
Inclusion and Exclusion Criteria
The contrasts used to calculate power were excluded from the fwer calculation.
Attrition
This allowed selection of 278 subjects that successfully finished the FreeSurfer processing, that passed quality control, and further, that had complete data for the variables that we selected to be used in the statistical analysis (described below).
Sex as a biological variable
Age (5-15 years, mean = 9.85, standard deviation = 2.65) and sex (180 males, 98 females) were included as nuisance variables.
Subject Demographics
Age: Age (5-15 years, mean = 9.85, standard deviation = 2.65) and sex (180 males, 98 females) were included as nuisance variables.
Randomization
For the unbalanced scenarios, subjects were likewise divided into 4, 5, 7 or 9 groups, for the same respective sample sizes, however with each group consisting of a random number of participants under the constraint that each group had at least 4 subjects.
Blinding
not detected.
Power Analysis
By adding a positive signal to group 1 and a negative signal to group 2, both with magnitudes determined by s t , an approximate power of 50 irrespective to the sample size or number of groups can be expected in all simulations for the contrast comparing these two groups before any adjustment has been made for the multiplicity of tests (in this case, multiplicity of contrasts).

Replication
not required.
Data Information
Availability: Real data We used data from the Healthy Brain Network (hbn) (Alexander et al. , 2017) made publicly available by the Child Mind Institute (cmi , New York , ny , usa) to evaluate how correction over the number of contrasts could affect a realistic data analysis .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Structural, T 1-weighted magnetic resonance images were processed using FreeSurfer (Dale et al., 1999 Fischl et al., 1999).	FreeSurfer		Suggestion: FreeSurfer, RRID:SCR_001847(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Tukey, Fisher-Hayter and Wang-Cui correction, however, used critical values pre-calculated with the functions ptukey and qtukey from the r statistical software (R Core Team,	Tukey
Bonferroni and Dunn-Sidak were applied over parametric p-values computed using Students t distribution . 3.2 .	Bonferroni
	Dunn-Sidak
Two analyses of covariance (ancova) designs were considered, one to investigate bsmss and another for ecw.	Two analyses of covariance

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq