Document Identifier: **PMC8195962**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study protocol was reviewed and approved by an Independent Ethics Committee andor Institutional Review Board (Western Institutional Review Board in the US, and IHL Shinagawa East One Medical Clinic Instuitional Review Board in Japan) and the study was conducted in accordance with the Declaration of Helsinki, the International Conference for Harmonisation, and Good Clinical Practice guidelines.
Consent: Written informed consent was provided by all parents or legal guardians, and informed assent was obtained from each patient, if capable, before starting any study procedure.
Inclusion and Exclusion Criteria
Methods Patients Patients between 6 and < 18 years of age with a history of migraine with or without aura (as defined by the Headache Classification Committee of the International Headache Society in The International Classification of Headache Disorders, 3rd edition 10) were eligible to participate in the study.
Attrition
not detected.
Sex as a biological variable
Female patients of child-bearing potential were required to have a negative pregnancy test.
Subject Demographics
Age: Methods Patients Patients between 6 and < 18 years of age with a history of migraine with or without aura (as defined by the Headache Classification Committee of the International Headache Society in The International Classification of Headache Disorders, 3rd edition 10) were eligible to participate in the study.
Weight: Patients had to weigh between 15 and 55 kg, be able to swallow a tablet, and be migraine-free at the time of predose assessments on the day of study drug administration.
Randomization
not detected.
Blinding
not detected.
Power Analysis

not detected.	
Replication	
not required.	
Protocol Information	
Identifiers: In addition, this would enable the collection of initial safety data at the highest approved adult dose in a well-controlled setting, and lasmiditan had been previously well tolerated in adults up to 400 mg in previous studies (NCT03252015, NCT00883051, NCT03465436).	NCT03252015
	NCT00883051
	NCT03465436 Warning: study registration date February 5, 2018 is after study start date September 16, 2011

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Lasmiditan plasma concentrations were analyzed at Covance Laboratories (Madison, WI, USA) using liquid chromatography with tandem mass spectrometry detection.	Covance Laboratories		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq