Document Identifier: **PMC8200175**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Inclusion and Exclusion Criteria In both cohorts , inclusion criteria followed international guidelines for inclusion of patients with AH in clinical trials.
Attrition
Five patients died between time of diagnosis and day 30, and 13 patients were lost to follow-up or denied ongoing participation (Table 1)
Sex as a biological variable
Table 1 Patient Characteristics from Cohort 1 and Cohort 2 Cohort 1 Cohort 2 Day 0 Day 0 Day 7 Day 90 Total patients (n) 15 23 18 10 Male (n) 12 17 13 6 Female (n) 3 6 5 4 Age (years) 52±7 55±11 56±10
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The following primary antibodies were used: anti-CD14 V500 (BD Horizon , clone MϕP9) , anti-CD16 PE/Cy7 (BioLegend , clone B73.1)	anti-CD14		
	anti-CD16 PE/ Cy7		
Anti-CD56 and LiveDead staining were combined in a dump channel to exclude dead cells and natural killer (NK) cells .	Anti-CD56		
In cohort 2 , the PBMCs were blocked with 0.1 mg human immunoglobulin (Privigen , CSL Behring , Denmark) pr . mL cell suspension and incubated for 15 min at 4 °C surface staining was performed using the following antibodies: anti-CD14-FITC (Miltenyi , cat. number 130–110-518) , anti-CD16-APC-Vio770 (Miltenyi , cat. number 130–096-655) , anti-Gal9-BV421 (BioLegend cat. number 348,920) , anti-4-1BBL-APC (Miltenyi , cat. number 130–103-656) , anti-Gal3-PE (Miltenyi , cat. number 130–101-315) and viability-viogreen (Miltenyi , cat. number 130–110-206) .	anti-CD14-FITC		
	anti-CD16-APC-Vio770		
	anti-Gal9-BV421		
	anti-4-1BBL-APC		
	anti-Gal3-PE		
Software and Algorithms			
Thrombocytes (165–400 × 109/L) 141±68 158±118 211±203 147±74 INR (<1.2) 2±0.6 1.8±0.4 1.7±0.7 1.3±0.2 C-reactive protein (mg/L) 39±14 31±23 24±20 4±3 Leukocytes (3.5–10.0 × 109/L) 14.2±7.5 11.4±7 13±7.9 4.2±3.7 Monocytes (0.20–0.70 × 109/L) 1.7±0.6 1±0.6 0.9±0.6 0.9±0.3 MELD 22±6.8 22.2±9.2 20.6±11.1 9.5±6.9 Child–Pugh Score 11.1±1.1 10.6±1.3 9.9±1.8	Score		Suggestion: SCORE (RRID:SCR_014165)(link)
Data were analyzed in FlowJo (Tree Star Inc .	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Statistics GraphPad Prism 8.4.0 was used to perform statistical analyses.	GraphPad Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Spearman’s rho was used for correlation analyses.	Spearman’s rho

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq