Document Identifier: **PMC8200343**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Exclusion criteria were medical history of conditions associated with thrombocytopenia , coagulopathy , or platelet dysfunction prior systemic JAK inhibitor use systemic corticosteroid use within 4 weeks of study initiation and treatment with dupilumab within 6 weeks of study initiation .
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: Briefly , eligible patients were either 18-75 years of age (phase IIb) or >= 12 years of age (phase III) with moderate-to-severe AD (IGA >= 3 , EASI 26 score >=12 phase IIb or >= 16 phase III , affected percentage of body surface area >= 10 , PP-NRS 27 (used with permission of Regeneron Pharmaceuticals , Inc . and Sanofi) score >= 4 PP-NRS4 phase III only , and inadequate response to treatment with topical corticosteroids or topical calcineurin inhibitors given for >= 4 weeks , a history of topical AD treatments considered medically inadvisable , or a history of systemic therapies for AD .
Randomization
Methods Study Designs All three studies included in this pooled analysis were similarly designed, international, multicenter, randomized, double-blind, placebo-controlled, parallel-group trials (Table 1 of the Electronic Supplementary Material ESM).
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.	
Protocol Information	
Identifiers: The phase IIb study (NCT02780167) was conducted between April 2016 and April 2017 in Australia, Canada, Germany, Hungary, and the USA 19	NCT02780167
Identifiers: JADE MONO-1 (NCT03349060) was a phase III trial conducted between December 2017 and March 2019 in Australia , Canada , Europe , and the USA 20 .	NCT03349060
Identifiers: JADE MONO-2 (NCT03575871) was a phase III trial conducted between June 2018 and August 2019 in Australia , Canada , China , Europe , Japan , South Korea , and the USA 21 .	NCT03575871

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
, Pruritus-NRS Pruritus Numerical Rating Scale, PSAAD Pruritus and Symptoms Assessment for Atopic Dermatitis, PtGA Patient Global Assessment, QoL quality of life, SF-36v2 Short Form-36 Health Survey, Version 2, Acute, WPAI-AD Work Productivity and Activity Impairment Questionnaire-Atopic Dermatitis, Version 2.0 Statistical Analysis Binary endpoints were analyzed using the Cochran-Mantel-Haenszel test adjusted by randomization strata.	Cochran-Mantel-Haenszel test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq