Document Identifier: **PMC8201542**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the Independent Ethics Committee of Cancer Institute and Hospital, CAMS.
Inclusion and Exclusion Criteria
Patients were excluded if they had: (1) planned or salvage esophagectomy (n = 207) (2) missing clinical data (n = 22) (3) missing follow-up data (n = 23) or <3 months follow-up time (n = 67) (4) distant metastasis at initial diagnosis (n = 109) (5) prior active malignancies (other than curable non-melanoma skin cancer or in situ cervical cancer) within 5 years (n = 115) (6) received sequential chemotherapy (either before or after radiotherapy) (n = 124) (7) received concurrent molecular target drugs (n = 131) (8) received palliative treatment (radiation dose <40 Gy or palliative radiation field) (n = 54) (9) histological types other than SCC (e.g., adenocarcinoma, small cell carcinoma, and so on n = 55) (10) stage I-II disease (n = 184).
Attrition
After exclusions, 1089 patients stayed in the final analysis cohort (CCRT = 617, RT alone = 472) (Figure 1).
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Between-group comparisons to evaluate imbalances in covariates were conducted using t-tests and kh2 test for quantitative and categorical variables, respectively.	t-tests
OS time and PFS time were estimated using Kaplan-Meier (KM) plots and compared by log-rank test.	log-rank test
The incidence of toxicities was compared by kh2 test and Fishers exact test.	kh2 test
	Fishers exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq