Document Identifier: **PMC8203480**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and Methods Ethical consideration This study was approved by the Ethics Committee of Osaka Red Cross Hospital and performed using the opt-out method of the hospital website.
Euthanasia Agents: A cubic bottle filled with 33 mg/L of manganese chloride tetrahydrate and 3.6 g/L of sodium chloride was used as a phantom (T1 relaxation time, 726.7 ms; T2 relaxation time, 92.6 ms) to mimic the human brain.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Signal attenuation ratio The signal attenuation ratio was calculated as the signal intensity of the image obtained in the presence of the titanium mesh divided by the signal intensity obtained in the absence of the mesh on assessing these images directly using ImageJ (Version 1.52a; National Institute of Health , Bethesda , MD , USA) .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis The Friedman test, Steel–Dwass multiple comparison test (for NAAD of four sequences in Table 1 and FA dependency in SE), and Wilcoxon signed-rank test (for NAAD of the area of excitation dependency) were used for statistical analyses (EZR Version 1.4.2; Jichi Medical University Saitama Medical Center, Saitama, Japan). 22 A P-value <0.05 was considered statistically significant.	Friedman test
	Steel–Dwass multiple comparison test
	Wilcoxon signed-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq