Document Identifier: **PMC8204351**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the ethics committee of the Faculty of Medicine, Al Azhar University and Egypt center for research and regenerative medicine, Cairo, Egypt. Study design, setting, and duration We performed a case-control study at the inpatient and outpatient clinics of the Gastroenterology and Hepatology Department, Maadi Armed Forces Medical Complex, Cairo, Egypt.
Inclusion and Exclusion Criteria
We excluded patients with certain conditions: (1) Patients with any type of cancer other than HCC (such as breast, lung, brain, gastrointestinal, renal, bladder and ovarian) (2) Patients with collagen diseases (rheumatoid arthritis, psoriasis, and systemic sclerosis) (3) Patients with heart failure, chronic obstructive pulmonary disease, pulmonary hypertension and, acute respiratory distress syndrome (4) Patients with diabetes mellitus, diabetic retinopathy, age-related macular degeneration (5) Patients with sickle cell anaemia, pregnancy and preeclampsia (6) Patients with co-infection with hepatitis B virus and (7) Patients with alcoholic liver disease.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Laboratory assessment: For all participants, the following laboratory tests were done: (1) HCV viral markers: Anti-HCV antibody, HCV-RNA based on PCR, hepatitis B surface antigen, hepatitis B core antibody, and human immunodeficiency Ab complete blood picture (2) Liver biochemical profile: Alanine aminotransferase, aspartate transaminase, alkaline phosphatase, gamma glutamyl transferase, serum albumin, serum bilirubin (total and direct), prothrombin time, and international normalized ratio (3) Renal function tests: blood urea and serum creatinine (4) Fasting blood glucose (5) Postprandial blood glucose (6) Glycosylated hemoglobin (normal < 6) (7) Quantitative measurement of serum AFP (8) Quantitative measurement of serum VEGF using ELISA kits and (9) Quantitative measurement of serum VEGFPLT by dividing serum VEGF concentration by the platelet count.	Anti-HCV		
	aspartate transaminase, alkaline phosphatase, gamma glutamyl transferase		
	Postprandial blood glucose (6) Glycosylated hemoglobin (normal < 6) (7		
Software and Algorithms			
All analyses were done using the Statistical Package for Social Science (SPSS software version 18 for Windows).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
While continuous data were initially tested for normality using the Kolmogorov-Smirnov test.	Kolmogorov-Smirnov test
For comparison of categorical variables, we used chi-square and Fischers exact tests.	chi-square
	Fischers exact tests
For comparison of two means, the students t- and Mann-Whitney tests were used for the normally and non-normally distributed data, respectively.	Mann-Whitney tests
To compare the quantitative variables between the three groups, we used either a one-way analysis of variance (ANOVA) followed by Tukeys post-hoc or the Kruskal-Wallis test according to the type and distribution of the data.	analysis of variance
	ANOVA
	Tukeys
	Kruskal-Wallis test
To study the relationship between two variables, Pearsons correlation test was used, and the correlation coefficient (r) was calculated.	Pearsons correlation test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq