Document Identifier: **PMC8204545**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Patients were evaluated on approved EU compliant Institutional Review Board (IRB) protocol (Clinical Trials Identifier: HYDPACA1995-2020 for this report; Principal Investigator: Somlyai
Consent: Patients started the DDW treatment at different time points at their consent after the diagnosis , which was recorded , and the median lengths between diagnosis and entering the trial (DG_to_DDWstart) was 1.7 months (SD: 12.2 months) .
Inclusion and Exclusion Criteria
Regarding the length of DDW treatment , patients who continued taking DDW for at least 91 days were eligible.
Attrition
Two of these patients , 1 female and 1 male were operated before entering the study , the other patients were inoperable.
Sex as a biological variable
Clinical Study Design and Eligibility Criteria A total of 86 (36 males and 50 females) patients with histologically confirmed pancreatic carcinoma were continually enrolled (DDW group = 56 , control group = 30) from March 1995 to January 2020 .
Subject Demographics
Age: All patients underwent conventional treatments with chemotherapeutic agents except one 69-year-old female patient .
Randomization
not detected.
Blinding
Data download was performed in triplicate manual peak integrations using modified (background subtracted) spectra under the overlapping isotopomer peaks of the total ion chromatogram (TIC) window displayed by the Chemstation (Agilent , Palo Alto , CA) software by spectral chemistry technicians , who were blinded to sample identities , blanks and natural 13C abundance internal standard study samples .
Power Analysis

not detected.
Replication
All experiments were conducted in triplicate.
Number: All experiments were conducted in triplicate.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
MIA-PACA , H449 or MCF-7 positive control cells were grown in T-75 cm2 culture flasks with glucose and sodium pyruvate-free DMEM containing 10 % FBS , 1 % penicillin /streptomycin , 180 mg/dL , of which 50 % of total final glucose was derived from the [1,2-13C2]-D-glucose tracer (Isotec , Miamisburg , OH) .	H449		Suggestion: (RRID:CVCL_A565)(link)
	MCF-7		Suggestion: RRID:CVCL_0031(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
A 2-tailed independent sample t-test was used to test for significance (p<0.05 , p<0.01) between control (150 ppm DDW) and the treated groups (100 ppm , 50 ppm and 25 ppm D for DDW responsive metabolic flux surrogates .	t-test
For correlation analysis , the Pearson method was used.	Pearson method

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq