Document Identifier: **PMC8213971**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| not required. |
| Inclusion and Exclusion Criteria |
| not required. |
| Attrition |
| One of these samples included very few reads and the three others were interpreted to be mislabeled during laboratory analyses. |
| Sex as a biological variable |
| not detected. |
| Subject Demographics |
| Age: The vegetation of the area is a mosaic of native birch (Betula pubescens) forests with a diverse understory of grass and herbaceous plants, and 40-50-year-old patches of planted, non-native Norway spruce stands, with an understory dominated by Sphagnum and Polytrichum. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |
| Replication |
| This step was repeated twice. |
| Number: This step was repeated twice. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| VSEARCH was used to dereplicate the ITSx extracted sequences. | VSEARCH | | Suggestion: VSEARCH (RRID:SCR_024494)( link) |
| To test the individual contributions of forest, soil horizon and soil chemical properties in explaining the variability of the community composition, we used PERMANOVA analysis of the Bray-Curtis distance dissimilarity with 999 permutations, as implemented in the Adonis function in the Vegan package. | Vegan | | Suggestion: vegan (RRID:SCR_011950)( link) |
| We used ggplot2 (Wickham 2009) for graphical representations of the results. | ggplot2 | | Suggestion: ggplot2 (RRID:SCR_014601)( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| To test the individual contributions of forest, soil horizon and soil chemical properties in explaining the variability of the community composition, we used PERMANOVA analysis of the Bray-Curtis distance dissimilarity with 999 permutations, as implemented in the Adonis function in the Vegan package. | PERMANOVA |
| ANOVA and Tukey HSD tests were used to evaluate whether there were significant differences between forest types and layers for the various measurements in the dataset. | ANOVA |
| | Tukey HSD tests |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq