Document Identifier: **PMC8215847**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Ethical approval from the Ethics Committee, Faculty of Medicine South Valley University was taken before starting the study (code: SVU 20211120).
Consent: Written informed consents were obtained from the included patients regarding the approval to use the drug and performing the required investigations and the study was conducted in accordance with the Declaration of Helsinki.
Inclusion and Exclusion Criteria
20,21 A mild case of COVID-19 is defined as symptomatic case with lymphopenia or leucopenia with no radiological signs for pneumonia, according to the Egyptian management Protocol for COVID-19.22 All patients with severe COVID-19 or patients indicated to receive systemic ivermectin according to the Egyptian management protocol for COVID-19 patients,22 were excluded from this study.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
The patients with mild COVID-19 were divided randomly into two groups group A included 57 patients with mild COVID-19 who received ivermectin nanosuspension nasal spray twice daily plus the Egyptian protocol of treatment for COVID-19 and group B included 57 patients with mild COVID-19 who received the Egyptian protocol for COVID-19 only.
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The assay is based upon reinforced immunoturbidimetry monoclonal anti D-dimer antibodies in the reagent react with the D-dimer antigen in the sample , forming antigenantibody complexes that increase the work solution turbidity .	anti D-dimer		
Software and Algorithms			
. Hematological , Biochemical and Molecular Measurements 6 ml of venous blood was withdrawn from every included patient prior to therapy and was divided into 3 parts (2 ml were evacuated into EDTA tubes for CBCs 2 ml were evacuated into serum gel separator tubes and allowed to be clotted at 37degC for 30 min and then centrifuged 3500 rpm for 10 minand the separated sera were used for C-reactive protein (CRP) and ferritin assays , while the remaining 2 ml were adjusted to be evacuated into citrate tubes and after centrifugation the separated citrated plasma was used for D- dimer assays) as follows: CBC with differential: By using cell Dyne-Ruby (Abbott Diagnostics , Santa Clara , CA , USA) , automated cell counter .	Abbott		Suggestion: Abbott (RRID:SCR_010477)(link)
Ivermectin Nanosuspension Materials Poloxamer 407 and Poloxamer 188 were obtained from Sigma Chemicals Co . (St . Louis , MO , USA)	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
Statistical Analysis Data entry and data analysis were done using SPSS version 26 (Statistical Package for Social Science).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Chi-square test and Fisher exact test were used to compare qualitative variables.	Chi-square test
	Fisher exact test
Mann-Whitney test was used to compare between two quantitative variables and Kruskal-Wallis test was used to compare between more than two quantitative variables for non-parametric data.	Mann-Whitney test
	Kruskal-Wallis test
Independent t-test was used to compare between two quantitative variables for parametric data.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq