SciScore: 5
What's this?

Document Identifier: **PMC8216158**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: MATERIALS AND METHODS Experimental design Animal care and experimental procedures were conducted according to the Principles of Laboratory Animal Care; in addition, all protocols were approved by the Animal Ethics Committee of the Urmia University of Medical Sciences (Ethics No. IR.umsu.rec.1396.162).
Euthanasia Agents: Sample preparation After eight weeks of treatment , the rats were anesthetized by ketamine (10 % , 80 mg/kg BW , IP) and xylazine (2 % , 10 mg/kg BW , IP) .
Field Sample Permit: Then , the abdominal cavity was opened and blood samples were taken directly from the portal vein , collected in EDTA tubes and centrifuged at 4000× g for 20 min within 30 min of collection .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Thirty-two male Wistar rats, aged 24 months (550-600 g) and 8 young male rats, aged 4 months (200-250 g) were divided into five groups (8 each): young control, aged control, aged-curcumin (50 mg/kg body weight; Merck KGaA, Darmstadt,
Subject Demographics
Age: Thirty-two male Wistar rats, aged 24 months (550-600 g) and 8 young male rats, aged 4 months (200-250 g) were divided into five groups (8 each): young control, aged control, aged-curcumin (50 mg/kg body weight; Merck KGaA, Darmstadt,
Weight: Thirty-two male Wistar rats, aged 24 months (550-600 g) and 8 young male rats, aged 4 months (200-250 g) were divided into five groups (8 each): young control, aged control, aged-curcumin (50 mg/kg body weight; Merck KGaA, Darmstadt,
Randomization
not detected.
Blinding

not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Thirty-two male Wistar rats, aged 24 months (550-600 g) and 8 young male rats, aged 4 months (200-250 g) were divided into five groups (8 each): young control, aged control, aged-curcumin (50 mg/kg body weight; Merck KGaA, Darmstadt,	Wistar		Suggestion: RRID:RGD_13508588(link)
Software and Algorithms			
The forward and reverse primers verified by Gene Runner software were then synthesized to reinforce the cDNA encoding GAPDH as a housekeeping gene.	Gene Runner		
The captured figures were compiled using Adobe photoshop CS10	Adobe photoshop		Suggestion: Adobe Photoshop (RRID:SCR_014199)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis The normal distribution of the data within each group was verified through the Kolmogorov-Smirnov test.	Kolmogorov-Smirnov test
In addition, the statistical differences across the groups were tested through one-way ANOVA followed up by Tukey's pair-wise comparisons.	ANOVA
	Tukey's pair-wise comparisons
Oligonucleotides	
Genes Forward sequences (5'-3') Revers sequences (	5'-3'
5'-3') PTP1B TTCAAAGTCCGAAGTCAGG CGGGTCCTTTCCTCTTGTCCA HNF4α TGCGACTCTCTAAAACCCTC CTTCAGATGGGGATGTGTCA FAT/ CD36 GACTTGTACTCTCTCCTCGG AGTAATGAGCCCACAGTTCC GAPDH AGACAGCCGCATCTTCTTGT CTTGCCGTGGGTAGAGTCAT PTP1B ,	TTCAAAGTCCGAAGTCAGG CGGGTCCTTTCCTCTTGTCCA HNF4α TGCGACTCTCTAAAACCCTC CTTCAGATGGGGATGTGTCA FAT/ CD36 GACTTGTACTCTCTCCTCGG AGTAATGAGCCCACAGTTCC GAPDH AGACAGCCGCATCTTCTTGT CTTGCCGTGGGTAGAGTCAT PTP1B
	GACTTGTACTCTCTCCTCGG

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq